



# MAINTENANCE INSTRUCTIONS

## 1. CLEANING FREQUENCY



	Frequency	Method	Recommended Product		
			Kiehl Cleaning	Kiehl Maintenance	Dr. Schutz Cleaning
<b>Post-installation cleaning</b>	once	Manual cleaning with soft broom and microfibre mop	<ul style="list-style-type: none"> <li>• Li-Ex-eco</li> <li>• Copex</li> <li>• Veroclean</li> </ul>		<ul style="list-style-type: none"> <li>• PU-Cleaner</li> </ul>
<b>Daily cleaning</b>	daily	Manual cleaning with soft broom, vacuum cleaner and microfibre mop	<ul style="list-style-type: none"> <li>• Econa-concentrate</li> <li>• Torvan concentrate</li> <li>• Veriprop</li> </ul>	<ul style="list-style-type: none"> <li>• Ambital-eco-concentrate</li> <li>• Procure concentrate</li> </ul>	<ul style="list-style-type: none"> <li>• PU-Cleaner</li> </ul>
<b>Intensive cleaning</b>	<b>Residential:</b> once or twice a year	Machine cleaning (single disc machine or scrubber dryer)	<ul style="list-style-type: none"> <li>• Econa-concentrate</li> <li>• Torvan concentrate</li> <li>• Veriprop</li> </ul>	<ul style="list-style-type: none"> <li>• Ambital-eco-concentrate</li> <li>• Procure concentrate</li> </ul>	<ul style="list-style-type: none"> <li>• Clean &amp; Strip</li> </ul>
	<b>Commercial:</b> weekly				

## 2. POST-INSTALLATION CLEANING



The newly installed vinyl flooring must be thoroughly cleaned after laying to remove any residues/dirt caused by installation and construction.

1. Use a soft broom or vacuum cleaner to remove all larger pieces of dirt.
2. Prepare the cleaning solution according to the manufacturer's dosage recommendations.
3. Clean the flooring surface by wiping evenly with a microfibre mop.
4. Rinse the microfibre mop regularly in clean water and soak up residual water.

### 3. DAILY CLEANING

Daily cleaning is the regular removal of dust and dirt from the surface.

1. Use a soft broom or vacuum cleaner to remove all larger pieces of dirt.
2. Prepare the cleaning solution according to the manufacturer's dosage recommendations.
3. Clean the flooring surface by wiping evenly with a microfibre mop.
4. Rinse the microfibre mop regularly in clean water and soak up residual water.



### 4. INTENSIVE CLEANING

Intensive cleaning of the flooring surface becomes necessary in the case of heavy dirt adhesion that cannot be removed during daily cleaning.

1. Apply cleaning solution following the manufacturer's recommended dosages and allow to take effect as specified (observe the manufacturer's application time).
2. Use a scrubber dryer/rotating single disk machine (200 rpm) with red, blue or microfibre pads.
3. Soak up the dirty water and allow the floor to dry before using it.
4. Clean the scrubber dryer/rotating single disk machine after use.



### 5. IMPORTANT INFORMATION


If the flooring surface becomes wet, it can feel more slippery and have a reduced slip resistance. Avoid flooding the floor or leaving a puddle of water on the floor. Thoroughly soak up residual water. If water is not removed carefully and left to soak in for some time, the decor may become discoloured. These white spots will disappear shortly.



#### **Do not use:**

- Strong acidic products: these may react with the floor, causing discoloration or unpleasant odours
- Strong alkaline products: these may cause discoloration
- Abrasive products
- Bleach agents or chlorinated compounds: these may cause discoloration
- Acetone, powerful solvents or thinners: excessive use may affect the protective layers
- Alcohol-based cleaners: These may cause discoloration and excessive use may affect the protective layers. Before use, check the material compatibility on an inconspicuous area.
- Highly concentrated soap solutions: these can form a greasy film on the floor surface


## 6. PROTECTIVE MEASURES



To keep the vinyl flooring in good condition, we recommend the following actions:

- Place non-rubber backed doormats at all entrances. Doing so keeps dirt or grit away from the floor. These abrasive particles could damage the floor, causing scratches. Do not use rubber-backed mats, as long-lasting contact with rubber can cause permanent discoloration. Never place doormats on a wet floor.
- Furniture legs, fitness appliances, etc. should be fitted with white felt pads or, in case of rollable furniture, with soft, non-rubber castors, to avoid permanent floor damage.
- Clear plastic mats should be placed under office chairs with unsuitable rubber wheels or in high traffic areas.
- Apply non-coloured felt pads or protective feet to items that contain rubber, such as chair legs, furniture legs, fitness appliances, etc. Coloured felt can cause stains.

## 7. WARRANTY



By following the above-mentioned instructions, the longevity of the Beauflor flooring will be extended and the validity of the warranty ensured. We refer to our warranty conditions for more information. Available at [www.beauflor.com](http://www.beauflor.com)


## 8. LEGAL INFORMATION



This document presents the general maintenance instructions, based on the latest available information. For the best result, and to ensure the validity of the warranty, these instructions should be followed carefully. This document replaces all previous versions and is valid until further notice.

This information is a representation of the technical knowledge at the time that this document was produced/published and may be amended, supplemented or replaced at any time. Please check our website frequently for updates: [www.beauflor.com](http://www.beauflor.com)

## 9. CONTACT



In case of issues and for more detailed instructions please contact:

**Beauflor Global:** [aftersales@beauflor.com](mailto:aftersales@beauflor.com)

**B.I.G. Floorcoverings nv**  
Rijksweg 442  
8710 Wielsbeke - Belgium  
T +32 (0)56 67 66 11  
[info@beauflor.com](mailto:info@beauflor.com)

[www.beauflor.com](http://www.beauflor.com)