

/ parqwood hydro.

Real wood.
Waterproof.



_____ strong wood floors.

Born from nature, crafted to perfection.


A floor that's born from nature, from wood that's known life in a forest. A floor where aesthetics and durability go hand in hand, where wood has evolved into the strongest version of itself by conquering one of nature's most powerful elements. Meet **Parqwood Hydro: 100% waterproof** and unapologetically authentic, vibrant and warm.

Made with **real oak sourced from European forests**, you'll find nature represented in every single plank through unique knots and colour variations. With a strong layer of premium oak and a wood-based waterproof core, these floors bring warmth and wellbeing. They are easy to maintain and can be installed with total peace of mind **in any space, including kitchens, bathrooms and commercial areas.**

made in  France



Cashemire 



**Refined by nature.
Redefined by water.**





**Practical beauty,
premium quality.**


Perenne 

Beauty and strength in a premium-quality floor.

Specified by professionals for demanding residential and commercial projects.

The true luxury of Parqwood Hydro is not having to choose between strength and beauty – it's the ability to enjoy both at the same time. With **protected bevels**, a **waterproof wood fibre core**, an **extra-strong lock**, and a new, innovative method of applying our **ultra-resistant Ultimtec varnish**, water is powerless against these floors.

Your floor will retain its beauty for years to come. Designed to be **a true reflection of nature**, our strong wood floors are warm to the touch, with a range of wonderfully natural wood shades. Made to suit both contemporary homes and commercial settings, with subtle bevels for an elegant finish, these floors are everything you've asked for and more.



Linum 



Ultimate floor protection with Ultimtec®.

Imagine the natural beauty of an oiled wooden floor with the ease of maintenance of a varnished one – with the bonus of being waterproof.

Thanks to Ultimtec®, our **extra-resistant varnish**, your strong wood floor is equipped with the ultimate surface, bevel, and pore protection. High-performing, solvent-free, and water-based, it'll keep your Parqwood Hydro floor looking flawless for years to come.

innovative varnish
ultimtec®

Ultimate surface protection


Ultimtec® will protect the surface of your floor from scratches, impact, and wear. These strong wood floors have a class 33 rating to prove their strength and durability, making them ideal for both residential and commercial use. Enjoy the look of an authentic, brushed finish in a floor that's protected from damage and discolouration.

Ultimate bevel protection

Elegant bevels require an elegant solution for their protection. Our Ultimtec® bevel coating is applied to all bevels, preventing both the bevels and the 0,6 mm real wood surface from absorbing water. Keeping dirt at bay, your bevels will remain clean and unaffected by daily life.

Ultimate pore protection

Ultimtec® uses a unique application method to fully penetrate the wood structure, sealing the top layer and deeply infiltrating the wood pores. Water is unable to penetrate through the unyielding surface, protecting your floor, from any damage and discolouration – pores and bevels included.



Strong wood floors to the core.

Underneath the surface of our strong wood floors lies another layer of strength: our **waterproof core board**. Want to know the science behind it? Our core board is made up of both small and large particles. This makes it more compact because no gaps are formed. With a waterproof coating to further protect these particles, it's difficult for water to infiltrate the board. Swelling is almost nonexistent – a feature that's one of a kind for a wooden floor. Plus, it **consists of 30% recycled content and is 100% recyclable**, contributing to a better environment.



Improved stability with Best Loc® X-treme.

These high-density properties also provide extra impact strength and a **more secure locking system**. Your strong wood floor is **guaranteed to remain stable in both dry and humid conditions** – including wet rooms such as kitchens and bathrooms.

For more info about installation, check out p. 32.



Curious to see how it all works?

Watch our video to find out!



**Sustainability was
never so stylish.**



Real wood with a positive impact.

Made with nature in mind, our strong wood floors are created to **respect the use of natural resources and the forests from which they originate**. With wood originating from sustainably managed forests, they are **carbon negative** from cradle to gate, which means they're storing more CO₂ than what's being emitted into the atmosphere during the production phase. Crafted locally using age-old expertise, and because of their thin top layer, these floors use **up to ten times less wood** than a traditional parquet floor. Alongside the wood veneer top layer, our strong wood floors hold a wood core using **30% recycled wood**, which is **fully recyclable** at the end of the product's lifecycle. Our sustainability efforts are further highlighted by several institutions and credentials, including the A+ Indoor Air Quality label, M1 Emission Class, E1 (low formaldehyde), and our floors are LEED & BREEAM compatible.

A smart choice for modern living.



Real wood

The warmth, depth and uniqueness of 0,6 mm premium real oak veneer, featuring natural knots and colour variations.




Waterproof

Designed to handle real-life challenges such as spills, splashes and moisture without stress. Sealed with ultimate surface, bevel and pore protection, combined with a wood-based waterproof core. Fully suitable for kitchens and bathrooms.



Durable & strong

Built to resist everyday wear, impact and scratches, even in high-traffic areas, and offering a commercial usage class of 33.



Extremely stable

The floor stays stable in both dry and humid conditions. You can install it seamlessly in spaces up to 15 × 15 m, without T-profiles in doorways, and it only needs a small 8 mm expansion gap around the edges of the room.



Kitchen approved

Easy to clean and effortless to maintain, thanks to the extra-resistant Ultimtec varnish with waterproof and stain-resistant properties.



Healthy interior

A natural flooring solution that supports healthy indoor air quality: PVC, solvent and phthalate free, without chemical reactive agents and using only a water-based colouring method.

Your flooring comparison guide.

Want to know how Parqwood Hydro measures up to vinyl planks & tiles? We've compared it across ten key features to consider when choosing your floor, each rated on a scale of 5.

Key features to consider when choosing your floor. •	Parqwood hydro	Vinyl planks & tiles
Bringing nature's comfort inside	●●●●●	●●●○○
Positive impact on the planet (CO ₂ score)	●●●●●	●●○○○
Impact resistance	●●●●○	●●●●○
Scratch resistance	●●●●○	●●●○○
Waterproof	●●●●●	●●●●●
Stain resistance	●●●●○	●●●○○
Contact sound	●●●●○	●●●○○
Soft underfoot	●●●●●	●●●●○
Ease of installation	●●●●●	●●●●●
Ease of removing a damaged plank or tile	●●●●○	●●○○○
Total cost of installation	●●●●○	●●●●○

If Parqwood Hydro scores as good as vinyl planks and tiles and sometimes even slightly better, why not choose a real wooden floor. You are not only making a positive impact on the planet, you are truly bringing nature and wellbeing inside your interior.

Discover the collection.

Explore a selection of 5 natural wood variations in the Parqwood Hydro collection, available in two plank sizes: XL and XXL Long. Crafted from truly natural material, each plank is rich in expression with unique colours, knots, and grain patterns, reflecting the history of the tree it came from.

Naturel

Naturel brings a balanced yet lively look, full of character and featuring knots, making it the main eye-catcher in any room.

** all 5 wood variations are available in Naturel.*

Calm

Soft and subtle wood looks, featuring harmonious and regular planks with very few small knots, work as a perfect neutral and serene backdrop for your interior project.

** only the 'Linum' wood variation is available in Calm.*



XL 1190 x 185 x 12 mm



XXL Long 2200 x 210 x 12 mm



- 1. Perenne Naturel**
 XXL Long 61001830
 XL 61001841
 CC* ● yellow
- 4.1 Linum Calm**
 XXL Long 61001833
 XL 61001843
 CC* ● orange

- 2. Chêne Naturel**
 XXL Long 61001815
 XL 61001845
 CC* ● yellow
- 4.2 Linum Naturel**
 XXL Long 61001834
 XL 61001844
 CC* ● orange

- 3. Cashemire Naturel**
 XXL Long 61001831
 XL 61001840
 CC* ● yellow/green
- 5. Boreal Naturel**
 XXL Long 61001832
 XL 61001842
 CC* ● red/yellow




The colour: Boreal

An understated, silky and harmonious colour: a very light white-beige with hints of wheat, mother-of-pearl, dove grey and straw.

The style: pure Scandinavian White

Find inspiration in 2026's Pantone Colour of the Year and turn your house into a calm and peaceful retreat using lovely, light colours and pure materials.







The colour: Linum

An understated, harmonious and soft colour: light whitened beige-straw with hints of ochre, orange and vanilla.

The style: industrial Scandinavian

Natural materials come together in an industrial look with metallic accents, blending warm and cold into a harmonious design. Use colours with retro accents to finish off the look.






The colour: Perenne

A luminous, understated and reassuring neutral colour: a very light orange-white beige with hints of blond mother-of-pearl, linen and hazelnut.

The style: personalised Scandinavian

Let natural lighting enter your home and be the star of the show, together with a statement colour to match your personality. Complete the look with lighter, more neutral base colours and textured or patterned fabrics.



**The colour: Cashemire**

An understated, harmonious and soft colour: mellow brown with khaki-bronze accents. The veining is smooth and fluid, expressing the natural elegance of noble wood without rusticity.

The style: natural modern Scandinavian

Open the door to biophilic design and give your mental health a boost with a timeless look that focuses on natural materials and gentle, warm wood tones paired with cool grey shades.






The colour: Chêne

An authentic, timeless and reassuring natural colour: bright amber ochre-yellow with hints of amber, turmeric and honey.

The style: perfectly imperfect Scandinavian

Embrace the wabi-sabi aesthetic with a perfectly imperfect kitchen: comfortable, lived-in, and a beloved place in the home. Embrace a darker wood for added warmth and add personal touches through small and bright pops of colour.




Laying the foundation for perfection.

An exceptional project relies on both aesthetics and precise execution. This section provides all the technical expertise you need, including installation tools, accessories and technical data, because details matter when preparing your interior look.



Easy installation.



Excellence Plus underlay

For floating installation of your wood flooring. Sound reduction by at least 19 dB. 1000 x 10000 x 2,5 mm. 10 m² / roll.

Code: SEPLUS10



Moisture block 200 µm

Use with your underlay to prevent any moisture coming up. 2600 x 10000 x 0,2 mm. 26 m² / roll.

Code: WD158235




Berryalloc wood floor glue

For a glued-down parquet floor (e.g. combined with underfloor heating). Consumption : 0,75 kg/m² depending on the support. Available in boxes of 3 bags of 6 kg (18 kg).

Code: 63003938

Best Loc® X-Treme

Glued or floating installation: installation is simple, fast, and easy – and saves you up to 30% more time compared to Best Loc. Apply gentle pressure and install plank by plank, no additional tools required.



It's all in the details.

Profiles

Matching T-profile

A perfect transition between 2 planks of the same thickness.

L 1150 mm or L 1950 mm

Matching end profile

A perfect finish against a bay window.

L 1950 mm

Matching reducer profile

A perfect transition between your wood flooring and a lower floor.

L 1150 mm or L 1950 mm

For more info about matching accessories, check out p. 35.

Skirtings

Matching 65 mm skirting

A finish 100% matched to your floor.

L 1950 mm (5 units / pack)

White paintable skirtings

60 mm (63001756), 80 mm (63001776) or 100 mm (9372-3045). For a finish that matches the colour of your wall.

L 2400 mm (4 units / pack)

White paintable quarter rounds

14 mm (63001736). For a finish that matches the colour of your wall.

L 2400 x 14 x 14 mm (4 units / pack)

Did you know?

If your space is smaller than 15 x 15 m, you don't need T profiles in doorways, only a small 8 mm expansion gap around the edges of the room. This gives your floor a sleek, seamless and high-end look.

Hydro+ kit for bathroom installation.



Hydro+ Set 4in1

Contains 1 glue, 1 mastic, 1 filler twine & 1 skirting strip.

Code: 63002898

Fillertwine

Reduce the amount of Sealant kit used, while still allowing the floor to expand and contract. Ø8 mm - length 10 m.

Code: 63002899


Sealant kit

One-pack acrylic sealant which remains permanently flexible. Colour: Light grey. 310 ml. Code: HPSILICONE

Technical overview.

	XL	XXL Long
Thickness of oak layer mm	0,6	
Core layer	Slided hydro wood core	
Thickness mm	12	
Plank width mm	185	210
Plank length mm	1190	2200
Bevels	4	
Made in	France	
Level of use ISO 10874	33	
Guarantee for residential use	20	
Loc system	BestLoc X-Treme, no glue, no tool	
Varnished finish	High-performance Ultimtec® (ultimate surface, ultimate pore and ultimate bevel protection)	
Compatibility with heated floors	Suitable for underfloor heating	
Abrasion resistance NF B53-669 tab. E1	≥ 4 (> 20 000 rev. TT CS10)	
Brinel hardness EN 1534	> 40 N/mm ²	
Thickness swelling (Hydro woodcore) EN 317	< 4 %	
Moisture level	8 % (tol +/- 2)	
Fire resistance EN 13501-1 (oak)	Cfl-S1	
Formaldehyde emission EN 717-1	E1 : < 0,03	
Slip resistance EN 16165 (an A&B)	PN 12, PC 6	
Resistance to chemical agents NF B53-669	≥ 50	
Castor chair test NF B53-669	> 25 000 revolutions	
Thermal resistance combined with Excellence Plus underlay	0,0115 m ² K/W	
PEFC	10-31-1047	
Indoor air emissions class ISO 16000	A+, M1	
Planks/pack	8	5
m ² /pack	1,761	2,310
Weight/pack (kg)	15,18	21,08
Packs/pallet	40	40

Collection overview.

			XL	XXL Long
	Boreal	Naturel	61001842	61001832
	Cashemire	Naturel	61001840	61001831
	Linum	Naturel	61001844	61001834
		Calm	61001843	61001833
	Perenne	Naturel	61001841	61001830
	Chêne	Naturel	61001845	61001815

Harmony Lab
Colour character


- yellow
- green
- purple
- orange
- red
- blue

Matching accessories.

				
Dimensions (mm)	L 1950 x W 14 x H 65	L 1150	L 1950	L 1150
Pieces per pack	5 pieces	1 piece	1 piece	1 piece
Boreal	63003945	-	63003947	-
Cashemire	63003843	63003846	63003847	63003844
Linum	63003944	-	63003946	-
Perenne	63002563	63002620	63002639	63002582
Chêne	63002562	63002619	63002638	63002581



made in  France



Floors for moments of joy.

BERRY  **ALLOC**

BerryAlloc NV
Industrielaan 100
8930 Menen, Belgium
T +32 56 67 66 11
info@berryalloc.com

berryalloc.com