

/ parqwood.

BERRY  ALLOC

**For those
'strength
in nature'
moments.**



 innovative varnish
ultimtec®

strong wood floors.

Let nature inside your soul.

Exceptional design.

Our Parqwood collection combines the beauty and warmth of a real wood surface with the resilience of a floor that's easy to install and maintain. Our strong wood floors are created using tried-and-true innovations such as ultimtec – a solvent-free, ultra-resistant varnish with all the advantages of an oiled parquet floor, making it easy to clean and maintain.

Close to nature.

Like any wood veneer floor, every Parqwood plank is unique and brings warmth and well-being inside your home. It's impact resistant and easy to maintain, so no renovation or sanding necessary. Plus, our strong wood floors are extremely durable and responsible: they cover up to ten times more floor surface with the same amount of wood that's needed for a parquet floor. Locally made in France, with love.

relax, it's BerryAlloc





Parqwood Nude Naturel



real oak surface, a premium parquet finish with a choice of select woods and design plank formats.

As with solid wood flooring, each plank is unique, bringing warmth and well-being to any interior.



durable, resistant, and easy to live.

No need to renovate or sand, maintenance-free, superior impact resistance. Ultimtec lacquer with an ultra-natural and resistant finish.



optimisation of natural resources.

10x more surface area compared to parquet for the same use. Made in France, in Meaulne.




Parqwood Ambre Naturel

made in  France



real
wood



extra-long &
extra-wide



strong
floor



environmentally
conscious



easy to
install

made in  France



Parqwood Nature Calm

Your wood choice: exactly what you need, and how it should be.

Soothing oak and gentle wood tones to suit any home. Want something subtle and discreet? Choose Calm, with its harmonious and regular markings: ideal for peaceful spaces. Or go for Natural, with a livelier, more energetic feel that'll stand out in any room. Remember, this is a natural product, and nature lives! Each plank is unique with its own singularities and shade variations, and will be affected by exposure to light. Watch your floor grow along with your spirit.

The best of parquet.

Trendy colours.



Nude Calm & Natural
CRAFT / CLASSIQUE
Orange ●



Albatre Natural
CONTEMPORAIN / CRAFT
Purple ●



Nature Calm & Natural
CONTEMPORAIN / CLASSIQUE
Yellow ●



Ambre Natural
CRAFT
Orange ●



Silk Natural
CONTEMPORAIN / CLASSIQUE
Yellow ●

2 wood choices.



calm.
Homogeneous, regular lines, traces of sapwood possible.

size of knots	●○○
density of knots	●○○
colour contrast	●○○



natural.
Balanced, lively appearance with sapwood.


size of knots	●●○
density of knots	●○○
colour contrast	●○○

Décor	XL	XXL Long
Nature	61001373	61001372
Nude	61001390	61001376
Albatre	---	---
Ambre	---	---
Silk	---	---

Décor	XL	XXL Long
Nature	61001388	61001374
Nude	61001391	61001377
Albatre	61001397	61001383
Ambre	61001400	61001386
Silk	61001394	61001380

Wood is a natural product and may have color variations. Sample not contractual.

Pick a size.




xl : 10 planks – 2,20 m²
xxl lg : 6 planks – 2,78 m²



xl : 40 packs – 88,06 m²
xxl lg : 40 packs – 111,40 m²

parqwood XL 1190 x 185 x 10 mm

parqwood XXL Long 2200 x 210 x 10 mm



1. Ultimtec surface treatment
2. Wood surface: oak 0.6 mm
3. HDF core

ultimtec® : Easy beauty.

The subtle beauty of an oiled parquet meets the easy care of a varnished wood floor.

Ultimtec, BerryAlloc's solvent-free varnish offers an exceptionally matt finish that's especially resistant to scratches and wear and tear.

Easy to clean and easy to maintain, our strong wood floors are not only naturally beautiful, but long-lasting too.

Strong structure: An easy and quick installation.




Thanks to the dimensional stability and high density of the HDF core.

Resonance in room reduced by mass effect (875 kg/m³)

Compatible with underfloor heating due to improved heat transmission of the HDF core.






Wood: endless beauty, maximum strength.

It's all in the details.

Installation accessories

Two installation options: floating or glued



Excellence+ underlay

- For a floating installation
 - - 19 dB minimum
 - 1000 x 10 000 x 2,5 mm
- Code : SEPLUS10



Moisture barrier 200 µm

- 2 600 x 10 000 x 0,2 mm
 - 26 m² / roll
- Code : WD158235



BerryAlloc Glue

- For a glued installation
 - Available in box of 3 packs of 6 kg with scraper
- Code : 9310-0024



White, paintable skirtings


- 60 mm (63001756), 80 mm (63001776) ou 100 mm (9372-3045)
L 2400 mm
(4 pc / pack)



White, paintable quarter round


- 14 mm (63001736)
L 2 400 x 14 x 14 mm (LxWxH)
(4 pc / pack)

Matching accessories - oak veneer




T-profile (oak veneer)

L 1150 mm or L 1950 mm




Reducer profile (oak veneer)

L 1150 mm
or L 1950 mm



End profile (oak veneer)

L 1950 mm



Skirting 69 mm (oak veneer)

L 1950 mm
(5 pc / pack)



Parqwood Albatre Naturel

BERRY  **ALLOC**

BerryAlloc
RD 2144 - BP5
F-03360 Meaulne
tél +33 4 70 08 15 15
fax +33 4 70 08 15 02
info@berryalloc.com

berryalloc.com

