





## Vinyl planks & tiles for every project, from moderate to intensive use.

Planks or tiles. Herringbone or concrete-look. Glue down or click installation. New-build or renovation. In your home or in a commercial. With (click) or without integrated underlay glue down).

Whatever you're looking for, Zenn offers a perfect solution. Offering all the perks of a vinyl floor, this collection brings the most beautiful and authentic look of nature. Regardless of your choice, it's quality and beauty right under your feet.

Responsible floors	06
Carefree moments Quality moments	08 10
Beautiful moments  Collection overview	12 14
Install Finish Maintain	21 22 23
Technical overview	24

# A floor fit for any project. You choose!

#### **Choose your favourite decor:**

from warm, natural decors that are as realistic as they are soft to touch: eight wood-look planks and four stone-look tiles.

#### **Choose your wear layer thickness:**

0.30 mm for moderate use (Zenn 30) or 0.55 mm for intensive use (Zenn 55).

#### **Choose your preferred installation method:**

click (Valinge 2G for Zenn 30 click and Valinge 5G click for Zenn 55 Click) or glue down.


#### **Choose your format:**

tile, standard plank or herringbone pattern\* (only available in Zenn 55, in click or glue down).

A full overview of the Zenn collection is available on p. 24-25.







### Our sustainability certifications

Our vinyl planks & tiles carry a number of sustainability certifications. Discover them below.

#### **BREEAM INTERNATIONAL**

Our vinyl planks & tiles contribute by earning up to 17 BREEAM credits in five different categories.

### **Environmental Product Declaration (EPD)**

We have an EPD available for our vinyl planks & tiles in accordance with ISO 14025 and EN 15804.



Please refer to our website for the full technical data sheet and more info:

www.berryalloc.com











### Carefree moments.

Real life doesn't always go according to plan. Fortunately, something you won't need to worry about is your floor.



#### **Scratch-resistant**

Wondering how your new floor will deal with lots of footfall, office chairs, pet paws, toys, etc.? Spoiler alert: with ease! Our Zenn floors are extremely scratch-resistant, thanks to our use of high-quality materials.



### Vinyl planks & tiles with a rigid core

Our vinyl planks & tiles of the Zenn collection have a stone composite core (also known as rigid core). These worry-free floors are waterproof, scratch-resistant, highly stable and durable. In short, Zenn offers the benefits of a traditional vinyl floor with the soothing, authentic look of nature, seamlessly blending into any interior and lifestyle.



### Completely waterproof and stain-resistant

Had a clumsy moment? Not to worry, our vinyl planks and tiles are all fully waterproof, and capable of withstanding all forms of spills. What's more, they are UV-resistant, meaning you won't be left with any sun spots – so let the sunshine in!



### **Quality moments.**

Enjoy quality time on a floor made to meet only the highest standards.




### Ideal for underfloor heating and cooling

Besides creating a lovely atmosphere, this technical floor does add to your overall comfort. Warm, cool or cosy, we've got you covered! Suitable for underfloor heating and cooling, they offer an energy-efficient solution to keeping your space pleasantly warm or cool.




### **Acoustic** comfort

Zenn comes with a comfortable, soft top layer, designed to **absorb and reduce noise**. As a result, your footsteps, as well as those of others in the same room or above, will be quieter on the ears. Looking for that extra bit of quiet? The Zenn rigid click planks and tiles have you covered! Its integrated underlay reduces footstep and ambient noise levels, resulting in a decrease of **19 decibels** in transmission sound.









### Made for life, whether at home or at work

Choose value for money with this high quality vinyl flooring. Zenn is crafted from premium materials and is rigorously tested for strength, waterproof, splash-resistance, impact damage, (colour) fading, stability and wear. If you need a solid foundation, look no further. Zenn is made to last a lifetime – backed by residential warranties ranging from 15 years to a lifetime and commercial warranties varying from 3 to 10 years based on the chosen wear layer.

### Beautiful moments.

Enjoy beautiful moments with floors that brings you one step closer to nature. They look natural and feel natural!



STRUCTURE



### Authentic wood and stone looks

Get lost in the details of our wonderfully matt and lifelike wood and stone decors. You can hardly tell the difference from the real thing. Our Belgian team of experts carefully select and design every shade and decor, resulting in the most authentic possible looks. Oh, and you can even extend these looks by incorporating matching skirtings and profiles to finish.







### A wow-effect for your project

Get that wow-factor with a beautiful herringbone floor pattern. Find your perfect match from eight different wood tones, from distinctive, rustic woods to more uniform looks in soft oak accented with minimalist knots.

Want to know which colours work together? Learn more on p. 16.



### Colours inspired by nature

Colour is essential for a beautiful interior.

Our range of floors offers a wide colour palette to suit every taste, from light to dark, with all shades of beige, brown, grey and everything in between – all created with a nod towards nature. Looking to bring a sense of harmony to your interior? Besides the perfect shade of flooring, you will find the colours to go with it. Having a hard time choosing? Harmony Lab are here to help you choose and combine the most beautiful colours possible.



### Collection overview.

#### **Vinyl planks**





60002205 Rigid click 30 Glue down 30 60002217 Rigid click 55 60002230 Glue down 55 60002250 HB rigid click 55 60002242 HB glue down 55 60002262 yellow

2. Faro Rigid click 30 60002212 60002224 Glue down 30 Rigid click 55 60002237 Glue down 55 60002257 HB rigid click 55 60002249 HB glue down 55 60002269 yellow

#### 3. Oslo

4. Orlando

Rigid click 30

Glue down 30

Rigid click 55

Glue down 55

HB rigid click 55

HB glue down 55 60002264

Rigid click 30 60002208 Glue down 30 60002220 Rigid click 55 60002233 Glue down 55 60002253 HB rigid click 55 60002245 HB glue down 55 60002265 CC\* blue

purple

60002207

60002219

60002232

60002252

60002244

yellow

#### Rigid click 55 Glue down 55 HB rigid click 55 CC\* CC\*

5. Monsanto

Rigid click 30

Glue down 30

60002263 HB glue down 55 vellow orange

60002206

60002218

60002231

60002251

60002243

Rigid click 30 60002211 Glue down 30 60002223 Rigid click 55 60002236 60002256 Glue down 55 HB rigid click 55 60002248 60002268 HB glue down 55 yellow orange

#### 7. Porto


Rigid click 30 60002210 Glue down 30 60002222 Rigid click 55 60002235 Glue down 55 60002255 60002247 HB rigid click 55 HB glue down 55 60002267 CC\* orange CC\* red

#### 8. Palermo

Rigid click 30 60002209 Glue down 30 60002221 Rigid click 55 60002234 60002254 Glue down 55 HB rigid click 55 60002246 HB glue down 55 60002266 CC\* orange red

#### **Vinyl tiles**





60002213

60002225

60002238

60002258

yellow



Glue down 30 Rigid click 55 Glue down 55

Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 CC\*

60002226

60002239 60002259 yellow purple

60002214

#### 3. Rimini Rigid click 30

Glue down 30 Rigid click 55 Glue down 55 CC\* CC\*

60002227 60002240

60002260 blue

60002215

purple

Rigid click 30 Glue down 30

Rigid click 55 Glue down 55

60002228 60002241 60002261 blue

60002216

decor: Rimin



Harmonious colours

Choosing the right colours for your interior.

Although the colour of your floor seems fairly obvious at first sight, it has a whole layer of subtle undertones. This underlying shade is called **the colour character** of your floor. **Harmony Lab** will help you to match this with the colour scheme of your interior.


#### **How it works**


The colour character of our floors are categorised in 6 colour groups:

yelloworangered

purplebluegreen

Once you know the colour character, the **chromatic colour wheel** will guide you in your decisions.






Let your creativity shine with a bold and vibrant contrasting colour sheme, or create a beautifully balanced and harmonious palette for a peaceful atmosphere. You choose!

Using **harmonious colours** means using colours on the colour wheel that are either the same colour or the neighbouring colour of your floor's colour character. For example: if your floor has a blue character, this means using variations of blue, green, and purple.

Using **contrasting colours** means using colours that are directly opposite to your floor's colour character on the chromatic colour wheel. For example: if your floor has a yellow character, offset it with purple elements in your interior.

We've determined the colour character for every single decor of the Zenn collection, which you'll find on p. **24-25**.








Are you having difficulty imagining your new floor in your own room? **Floorfit** has got you covered. This **digital tool** simulates your top picks in a room of your choice. Take a moment to try out your favourite choices and figure out what suits your style best!

# Imagine Zenn in your own interior with Floorfit.

Find out how it works:



#### Snap

Take a photo of your room and **upload** it to **Floorfit**. Or choose from a range of standard rooms in the tool.



#### **Select**


Choose the **colour** you want to visualise through the built-in filters. Don't forget to select a laying direction and pattern.



#### **Floorfit**

Have you found your dream floor? **Share** your final look with family and friends, or get in touch with your **local BerryAlloc dealer** for the next step.







### Install.

You've just picked out your new floor. **What's next?** Now's the moment to determine **which products** you need in your installation and decoration journey. These will help your floor achieve that wow-factor and provide you with optimal living comfort.



### Easy to install: quick, simple and stable

Whether click or glue down, installation is both quick and easy. Want an **extremely stable** floor? Glue down planks and tiles are ideal for moderate to intensive use in both residential and commercial settings. Need quick installation? The Zenn rigid click planks and tiles have an integrated underlay, correcting any unevenness, meaning less preparation and speedy installation.



#### Renovationfriendly floors

Zenn's high-quality and high-strength properties guarantee **outstanding levels of stability**. Install vinyl planks and tiles directly on top of existing floors, such as ceramic tiles – and you won't see a trace of the old floor. This will save you a great deal of preparation and installation time, with the end result being a floor that is as uniform and as it is extremely stable.



### Finish.

#### **Skirtings**

It's time to add that final flair! Our skirtings bring a touch of elegance, seamlessly bridging the gap between the wall and your floor. You can choose between skirtings that match your new floor perfectly or white, paintable skirting to match with your wall colour.

#### **Profiles**

Don't forget the finishing touch! Choose profiles that smoothly connect one room to the other while respecting the expansion gap requirements. From matching colours to modern aluminium, there's a profile to suit every style. Let's make your space shine!



(Match your floor



Matching skirtings will make your floor seem larger whereas paintable skirtings will make your walls seem longer.





### Maintain.

Make those moments of joy on your new floor last longer by regularly using our specially developed **Berryalloc PU protector & Berryalloc cleaner**. It gives your floor an extra layer of protection and ensures it looks spotless at all times.

BerryAlloc PU protector & cleaner

23

1 litre

#### **Technical overview.**

Technical	
	Rigid click with integrated ur
Wearlayer (mm)	
Embossing	Woo
Thickness (mm)	4+1
Integrated underlay	<b>✓</b>
Lock	2 <u>G</u>
Class	23/32
Commercial warranty	5 years
Residential warranty	20 years

ZEN	N 55	ZENN 55 Herringbone			
<b>Rigid click</b> with integrated underlay	Glue down	<b>Rigid click</b> with integrated underlay	Glue down		
0,55 mm					
Wood & sto	ne emboss	Wood emboss			
5+1	5+1 2,5		2,5		
~	No	~	No		
5 <u>G</u>	No	<u>5</u> <u>G</u>	No		
23/33	23/33/42	23/33	23/33/42		
10 years					
Lifetime					

Test results
Underfloor heating
Castor chair
Fire resistance
Light fastness
Chemical resistance
Residual indentation
Thermal resistance
Slip resistance
Sound reduction: impact sound
Dimensional stability

suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2			
ра	nss		
Bfl	-s1		
>	6		
0	OK		
< 0,1 mm			
0,025 m <sup>2</sup> K/W 0,010 m <sup>2</sup> K/W			
R10			
class	s DS		
19 dB 2dB			
< 0,15 % - pass			
>1,5 kN/m - pass /			

ZENN 30

0,30 mm Wood & stone emboss

Glue down

No

No

23/31

3 years

15 years

suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2					
	pa	iss			
	Bfl	-s1			
	>	6			
	О	K			
< 0,1 mm					
0,030 m <sup>2</sup> K/W	W 0,010 m <sup>2</sup> K/W 0,030 m <sup>2</sup> K/W 0,010 m <sup>2</sup> K/W				
R10					
class DS					
19 dB	2dB	19 dB 2dB			
< 0,15 % - pass					
>1,5 kN/m / >1,5 kN/m / - pass /					

#### Planks & herringbone Planks m² per pack

Planks per pack m² per pallet Dimensions

**Lock Strength** 

ZENN 30			
2,17 m <sup>2</sup>	5,20 m²		
10 pieces 24 pieces			
97,55 m <sup>2</sup> 234,11 m <sup>2</sup>			
L 1219,2 x W 177,8 mm			

	ZEN	N 55	ZENN 55 Herringbone		
	1,73 m²	4,34 m²	1,97 m²	4,46 m²	
	8 pieces 20 pieces 78,04 m² 195,09 m²		30 pieces	64 pieces	
ĺ			78,96 m²	187,29 m²	
ĺ	L 1219,2 x V	V 177,8 mm	L 609,6 x W 107,95 mm	L 609,6 x W 114,3 mm	

#### Tiles Tiles m² per pack Tiles per pack m² per pallet Dimensions

ZENN 30				
2,51 m²	5,02 m²			
6 pieces 12 pieces				
100,33 m <sup>2</sup> 230,77 m <sup>2</sup>				
L 914,4 x W 457,2 mm				

ZENN 55			
1,67 m²	4,18 m²		
4 pieces	10 pieces		
83,61 m <sup>2</sup> 192,31 m <sup>2</sup>			
L 914,4 x W 457,2 mm			

#### **Decor overview.**

		ZENN 30		ZENN 55		ZENN 55 Herringbone	
		<b>Rigid click</b> with integrated underlay	Glue down	<b>Rigid click</b> with integrated underlay	Glue down	<b>Rigid click</b> with integrated underlay	Glue down
	Sorrento	60002205	60002217	60002230	60002250	60002242	60002262
	Monsanto	60002206	60002218	60002231	60002251	60002243	60002263
Maria Cara Cara Cara Cara Cara Cara Cara	Orlando	60002207	60002219	60002232	60002252	60002244	60002264
	Oslo	60002208	60002220	60002233	60002253	60002245	60002265
	Palermo	60002209	60002221	60002234	60002254	60002246	60002266
	Porto	60002210	60002222	60002235	60002255	60002247	60002267
	Caïro	60002211	60002223	60002236	60002256	60002248	60002268
	Faro	60002212	60002224	60002237	60002257	60002249	60002269

Delhi	60002213	60002225	60002238	60002258
Bali	60002214	60002226	60002239	60002259
Rimini	60002215	60002227	60002240	60002260
Fuji	60002216	60002228	60002241	60002261

25

#### **Accessories overview.**

#### Install.

Fixing accessories (for skirtings)			
Clips	Glue		
9310-0017	HPGLUE		

Finish.	Matching			
	Skirting	T-Profile		
Length	2400 mm	1180 mm	900 mm	
Width	12 mm	36 mm	36 mm	
Height	60 mm	9,5 mm	9,5 mm	
Sorrento	63003529	63003585		
Monsanto	63003530	63003586		
Orlando	63003531	63003587		
Oslo	63003532	63003588		
Palermo	63003533	63003589		
Porto	63003534	63003590		
Caïro	63003535	63003591		
Faro	63003536	63003592		
Delhi	63003537		63003593	
Bali	63003538		63003594	
Rimini	63003539		63003595	
Fuji	63003540		63003596	


White / Paintable					
Skirtings					Quarter round
2400 mm	2400 mm	2400 mm	2400 mm	2400 mm	2400 mm
12 mm	12 mm	14 mm	14 mm	26 mm	14 mm
60 mm	80 mm	100 mm	110 mm	110 mm	14 mm
63001756	63001776	9372-3045	9370-3045	63001781	63001736

	Aluminium			
	Skirting	Reducer profile	End profile	
Length	2000 mm	2000 mm	2000 mm	
Width	34 mm	38 mm	24 mm	
Height	6,5 mm	6,5 mm	6,5 mm	
Silver	63000576	63000573	63000579	
Bronze	63000578	63000575	63000581	
Champagne	63000577	63000574	63000580	

#### Maintain.

Cleaner	PU protect	
63000772	63000773	





#### Floors for moments of joy.



#### BerryAlloc NV

Industrielaan 100 8930 Menen, Belgium T +32 56 67 66 11 info@berryalloc.com

berryalloc.com

designed in Belgium