

/ zenn.

BERRY  ALLOC

COFFEE	2.5	TEA	1.5
ESPRESSO	2.5	CHAI	1.5
MACCHIATO	3	COLD BREW	3
AMERICANO	2.5	ICED TEA	2.5
FLAT WHITE	3.5	BELFAST BREW	2.5
LATTE	4	GREEN TEA	2.5
CAPPUCCINO	2.5	CHAMOMILE	3
MOCHA	4	APPLE WINE	4

vinyl planks & tiles.



**Floors for a
lifetime of joy.**

Monsanto 

Vinyl planks & tiles for every project, from moderate to intensive use.

Planks or tiles. Herringbone or concrete-look. Glue down, click or loose lay installation. New-build or renovation. In your home or in a commercial space. With (Rigid Click) or without integrated underlay (Glue Down & Loose Lay).

Whatever you're looking for, Zenn offers a perfect solution. Offering all the perks of a vinyl floor, this collection brings the most beautiful and authentic look of nature. Regardless of your choice, it's quality and beauty right under your feet.

The unique features	06
Discover the collection	12
Harmony lab	14
Floorfit	16
Install, finish & maintain	19
Sustainability	24
Technical & collection overview	26

A floor fit for any project. You choose!

Choose your favourite decor:

From warm, natural decors that are as realistic as they are soft to touch: eight wood-look planks and four stone-look tiles.

Choose your wear layer thickness:

0.30 mm for moderate use (Zenn 30) or 0.55 mm for intensive use (Zenn 55).


Choose your preferred installation method:

Click (**29** for Zenn 30 click and **59** for Zenn 55 click), glue down or loose lay*. (*only in Zenn 55)

Choose your format:

Tile, standard plank or herringbone pattern*. (*only available in Zenn 55, in click or glue down)

A full overview of the Zenn collection is available on p. 12-13.



Carefree moments.

Real life doesn't always go according to plan. Fortunately, something you won't need to worry about is your floor.



Vinyl planks & tiles with a rigid core

The Zenn rigid click planks and tiles have a stone composite core (also known as rigid core). These worry-free floors are waterproof, scratch-resistant, highly stable and durable. In short, Zenn offers the benefits of a traditional vinyl floor with the soothing, authentic look of nature, seamlessly blending into any interior and lifestyle.



Completely waterproof and stain-resistant

Had a clumsy moment? Not to worry, our vinyl planks and tiles are all fully waterproof, and capable of withstanding all forms of spills. What's more, they are UV-resistant, meaning you won't be left with any sun spots – so let the sunshine in!



Scratch-resistant

Wondering how your new floor will deal with lots of footfall, office chairs, pet paws, toys, etc.? Spoiler alert: with ease! Our Zenn floors are extremely scratch resistant and, thanks to the use of high quality materials, they also achieve a slip resistance rating of +36 PTV. A real plus if you ask us.

Quality moments.

Enjoy quality time on a floor made to meet only the highest standards.




Ideal for underfloor heating and cooling

Besides creating a lovely atmosphere, this technical floor does add to your overall comfort. Warm, cool or cosy, we've got you covered! Suitable for underfloor heating and cooling, they offer an energy-efficient solution to keeping your space pleasantly warm or cool.



Acoustic comfort

Zenn comes with a comfortable, soft top layer, designed to **absorb and reduce noise**. As a result, your footsteps, as well as those of others in the same room or above, will be quieter on the ears. Looking for that extra bit of quiet? The Zenn rigid click planks and tiles have you covered! Its integrated underlay reduces footstep and ambient noise levels, resulting in a decrease of **19 decibels** in transmission sound.



Floors made to relax.

Palermo



Oslo



Made for life, whether at home or at work

Choose value for money with this high quality vinyl flooring. Zenn is crafted from premium materials and is rigorously tested for strength, waterproof, splash-resistance, impact damage, (colour) fading, stability and wear. If you need a solid foundation, look no further. Zenn is made to last a lifetime – backed by residential warranties ranging from 15 years to a lifetime and commercial warranties varying from 3 to 10 years based on the chosen wear layer.

	Residential use warranty	Commercial use warranty
Zenn 30 glue down 0.30 mm wear layer	15 years	3 years
Zenn 30 click 0.30 mm wear layer	20 years	5 years
Zenn 55 click & glue down 0.55 mm wear layer	Lifetime	10 years
Zenn 55 loose lay 0.55 mm wear layer	Lifetime	10 years

Beautiful moments.

Enjoy beautiful moments with floors that brings you one step closer to nature. They look natural and feel natural!



Porto

WOOD
STRUCTURE



Authentic wood and stone looks

Get lost in the details of our wonderfully matt and lifelike wood and stone decors. You can hardly tell the difference from the real thing. Our Belgian team of experts carefully select and design every shade and decor, resulting in the most authentic possible looks. Oh, and you can even extend these looks by incorporating matching skirtings and profiles to finish.



STONE
STRUCTURE

Bali



Monsanto



A wow-effect for your project

Get that wow-factor with a beautiful **herringbone floor pattern**. Find your perfect match from eight different wood tones, from distinctive, rustic woods to more uniform looks in soft oak accented with minimalist knots.

Want to know **which colours work together**? Learn more on page 14.

Colours inspired by nature

Colour is essential for a beautiful interior. Our range of floors offers a wide colour palette to suit every taste, from light to dark, with all shades of beige, brown, grey and everything in between – all created with a nod towards nature. Looking to bring a sense of harmony to your interior? Besides the perfect shade of flooring, you will find the colours to go with it. Having a hard time choosing? Harmony Lab are here to help you choose and combine the most beautiful colours possible.



Collection overview.

Vinyl planks



These decors are also available in herringbone.


1. Sorrento	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002205 60002217 60002230 60002250 60002413 60002242 60002262 ● yellow	3. Oslo	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002208 60002220 60002233 60002253 60002415 60002245 60002265 ● blue ● purple	5. Monsanto	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002206 60002218 60002231 60002251 60002339 60002243 60002263 ● yellow ● orange	7. Porto	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002210 60002222 60002235 60002255 60002337 60002247 60002267 ● orange ● red
2. Faro	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002212 60002224 60002237 60002257 60002341 60002249 60002269 ● yellow	4. Orlando	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002207 60002219 60002232 60002252 60002414 60002244 60002264 ● yellow	6. Caïro	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002211 60002223 60002236 60002256 60002338 60002248 60002268 ● yellow ● orange	8. Palermo	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 HB rigid click 55 HB glue down 55 CC*	60002209 60002221 60002234 60002254 60002340 60002246 60002266 ● orange ● red

*CC: colour character - for more information, head over to page 14 - 15.

Vinyl tiles



1. Delhi	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 CC*	60002213 60002225 60002238 60002258 60002345 ● yellow	2. Bali	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 CC*	60002214 60002226 60002239 60002259 60002416 ● yellow ● purple	3. Rimini	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 CC*	60002215 60002227 60002240 60002260 60002346 ● blue ● purple	4. Fuji	Rigid click 30 Glue down 30 Rigid click 55 Glue down 55 Loose lay 55 CC*	60002216 60002228 60002241 60002261 60002347 ● blue
-----------------	---	--	----------------	---	--	------------------	---	--	----------------	---	--



Rimini ●

Choosing the right colours for your interior.



Although the colour of your floor seems fairly obvious at first sight, it has a whole layer of subtle undertones. This underlying shade is called **the colour character** of your floor. **Harmony Lab** will help you to match this with the colour scheme of your interior.

How it works

The colour character of our floors are categorised in 6 colour groups:

- yellow
- orange
- red
- purple
- blue
- green

Once you know the colour character, the **chromatic colour wheel** will guide you in your decisions.



Harmonious colours



Contrasting colours



Let your creativity shine with a bold and vibrant contrasting colour scheme, or create a beautifully balanced and harmonious palette for a peaceful atmosphere. You choose!

Using **harmonious colours** means using colours on the colour wheel that are either the same colour or the neighbouring colour of your floor's colour character. For example: if your floor has a blue character, this means using variations of blue, green, and purple.

Using **contrasting colours** means using colours that are directly opposite to your floor's colour character on the chromatic colour wheel. For example: if your floor has a yellow character, offset it with purple elements in your interior.


We've determined the colour character for every single decor of the Zenn collection, which you'll find on p. 27.



Are you having difficulty imagining your new floor in your own room? **Floorfit** has got you covered. This **digital tool** simulates your top picks in a room of your choice. Take a moment to try out your favourite choices and figure out what suits your style best!


Imagine Zenn in your own interior with Floorfit.

Find out how it works:




Snap

Take a photo of your room and **upload** it to **Floorfit**. Or choose from a range of standard rooms in the tool.



Select

Choose the **colour** you want to visualise through the built-in filters. Don't forget to select a laying direction and pattern.



Floorfit

Have you found your dream floor? **Share** your final look with family and friends, or get in touch with your **local BerryAlloc dealer** for the next step.



What are you waiting for?
Floorfit it out!




Choose colours that make you happy.



Install.

You've just picked out your new floor. **What's next?** Now's the moment to determine **which products** you need in your installation and decoration journey. These will help your floor achieve that wow-factor and provide you with optimal living comfort.



Easy to install: quick, simple and stable

Whether click, glue down or loose lay, installation is both quick and easy. Want an **extremely stable** floor? Glue down planks and tiles are ideal for moderate to intensive use in both residential and commercial settings. Need quick installation? The Zenn rigid click planks and tiles have an integrated underlay, correcting any unevenness, meaning less preparation and speedy installation.



Renovation-friendly floors

Zenn's high-quality and high-strength properties guarantee **outstanding levels of stability**. Install vinyl planks and tiles directly on top of existing floors, such as ceramic tiles – and you won't see a trace of the old floor. This will save you a great deal of preparation and installation time, with the end result being a floor that is as uniform and as it is extremely stable.




Do you need that extra bit of fast?


Loose lay: fast installation, zero fuss!

Enjoy a fast & fuss-free installation with the Zenn loose lay planks and tiles. They stay perfectly in place thanks to their clever anti-skid backing, whether installed fully tackified, partially tackified or completely loose laid.

Designed to meet the demands of busy commercial spaces like offices and hotels, Zenn loose lay is ideal for raised floors and areas where easy replacement is a must. Smart, strong and super fast to install, Zenn loose lay is an excellent choice for your next project.









- 1 PU coating
- 2 Wear layer
- 3 Decor layer
- 4 Middle layer
- 5 Fiberglass
- 6 Backing
- 7 Anti-skid backing



Not sure which installation method is right for your project?

No worries, we're here to help! Depending on which features matter most to you, you'll find everything you need in the below installation comparison guide.


key features to consider when installing your floor. •	Loose lay	Glue down	Rigid click
Ease of installation	●●●●○	●●●○○	●●●●●
Removability & flexibility	●●●●●	●●○○○	●●●●○
Ease of repair	●●●●●	●●●○○	●●●●○
Stability	●●●●●	●●●●○	●●●●●
Acoustic performance & overall feel	●●●○○	●●○○○	●●●●●

-  loose lay
-  ideal for raised floors
-  sound absorption
-  fiberglass for extra stability
-  anti-slip
-  easy to install

Finish.

Skirtings

It's time to add that final flair! Our skirtings bring a touch of elegance, seamlessly bridging the gap between the wall and your floor. You can choose between skirtings that match your new floor or white, paintable skirting to match with your wall colour.



Match your floor

Profiles

Don't forget the finishing touch! Choose profiles that smoothly connect one room to the other while respecting the expansion gap requirements. From matching colours to modern aluminium, there's a profile to suit every style. Let's make your space shine!

TIP

Matching skirtings will make your floor seem larger whereas paintable skirtings will make your walls seem longer.




Maintain.

Make those moments of joy on your new floor last longer by regularly using our specially developed **Berryaloc Vinyl Planks PU Protect (63000773)** & **Berryaloc Vinyl Planks Cleaner (63000772)**. It gives your floor an extra layer of protection and ensures it looks spotless at all times.



Responsible floors.

Besides offering comfort, we also take extra care to respect nature in producing our Zenn collection. We strive to create as little waste as possible during the manufacturing process and the floors are **recyclable** at the end of their life. They can also be installed safely and securely in your home or workplace, supported by various reputable certifications such as Eurofins Indoor Air Comfort Gold, FloorScore® Indoor Air Quality and the A+ certification.



Our sustainability certifications

Our vinyl planks & tiles carry a number of sustainability certifications. Discover them below.

BREEAM INTERNATIONAL

Our vinyl planks & tiles contribute by earning up to 17 BREEAM credits in five different categories.

Environmental Product Declaration (EPD)

We have an EPD available for our vinyl planks & tiles in accordance with ISO 14025 and EN 15804.



Please refer to our website for the full technical data sheet and more info:
www.berryalloc.com



Technical overview.

	ZENN 30		ZENN 55			ZENN 55 Herringbone	
	Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down	Loose Lay	Rigid click with integrated underlay	Glue down
Wear layer (mm)	0,30		0,55			0,55	
Embossing	Wood & stone emboss		Wood & stone emboss			Wood emboss	
Total thickness (mm)	5 (4 + 1)	2	6 (5 + 1)	2,5	4,5	6 (5 + 1)	2,5
Integrated underlay	Yes (1 mm)	No	Yes (1 mm)	No		Yes (1 mm)	No
Locking system	2G	No	5G	No		5G	No
Usage classification	23/32	23/31	23/33	23/33/42		23/33	23/33/42
Bevel type	Micro V4		Micro V4			Micro V4	
Residential warranty	20 years	15 years	Lifetime			Lifetime	
Commercial warranty	5 years	3 years	10 years			10 years	

Test results

Underfloor heating	Suitable		Suitable			Suitable	
Castor chair	Pass		Pass			Pass	
Fire resistance	Bfl-s1		Bfl-s1			Bfl-s1	
Chemical resistance	OK		OK			OK	
Residual indentation	≤ 0,10 mm - pass		≤ 0,10 mm - pass			≤ 0,10 mm - pass	
Thermal resistance	0,025 m²K/W	0,010 m²K/W	0,030 m²K/W	0,010 m²K/W	0,040 m²K/W	0,030 m²K/W	0,010 m²K/W
Slip resistance	R10		R10			R10	
	Class DS		Class DS			Class DS	
Pendulum slip resistance (PTV)	36+		36+			36+	
Sound reduction: impact sound	19 dB	2dB	19 dB	2dB	8 dB	19 dB	2dB
Dimensional stability	≤ 0,15 % - pass		≤ 0,15 % - pass			≤ 0,15 % - pass	
Lock strength	> 1,5 kN/m - pass	/	> 1,5 kN/m - pass	/		> 1,5 kN/m - pass	/
Light fastness	≥ 6 - pass		≥ 6 - pass			≥ 6 - pass	
Static electrical propensity	Antistatic (≤ 2 kV)		Antistatic (≤ 2 kV)			Antistatic (≤ 2 kV)	

Planks









m² per pack	2,17 m²	5,20 m²	1,73 m²	4,34 m²	2,79 m²	1,97 m²	4,46 m²
Planks per pack	10 pieces	24 pieces	8 pieces	20 pieces	10 pieces	30 pieces	64 pieces
m² per pallet	97,55 m²	234,11 m²	78,04 m²	195,09 m²	111,48 m²	78,96 m²	187,29 m²
Packs per pallet	45 packs	45 packs	45 packs	45 packs	40 packs	40 packs	42 packs
Dimensions (mm)	L 1219,2 x W 177,8		L 1219,2 x W 177,8		L 1219,2 x W 228,6	L 609,6 x W 107,95	L 609,6 x W 114,3





Tiles

m² per pack	2,51 m²	5,02 m²	1,67 m²	4,18 m²	2,88 m²
Tiles per pack	6 pieces	12 pieces	4 pieces	10 pieces	8 pieces
m² per pallet	100,33 m²	230,77 m²	83,61 m²	192,31 m²	97,92 m²
Packs per pallet	40 packs	46 packs	50 packs	46 packs	34 packs
Dimensions (mm)	L 914,4 x W 457,2		L 914,4 x W 457,2		L 600 x W 600












Collection overview.





Harmony Lab Colour character			
● yellow	● green	● orange	● blue
● purple	● red		

Planks		ZENN 30		ZENN 55			ZENN 55 Herringbone	
		Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down	Loose Lay	Rigid click with integrated underlay	Glue down
	Sorrento ●	60002205	60002217	60002230	60002250	60002413	60002242	60002262
	Monsanto ●●	60002206	60002218	60002231	60002251	60002339	60002243	60002263
	Orlando ●	60002207	60002219	60002232	60002252	60002414	60002244	60002264
	Oslo ●●	60002208	60002220	60002233	60002253	60002415	60002245	60002265
	Palermo ●●	60002209	60002221	60002234	60002254	60002340	60002246	60002266
	Porto ●●	60002210	60002222	60002235	60002255	60002337	60002247	60002267
	Caïro ●●	60002211	60002223	60002236	60002256	60002338	60002248	60002268
	Faro ●	60002212	60002224	60002237	60002257	60002341	60002249	60002269


Tiles		ZENN 30		ZENN 55		
		Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down	Loose Lay
	Delhi ●	60002213	60002225	60002238	60002258	60002345
	Bali ●●	60002214	60002226	60002239	60002259	60002416
	Rimini ●●	60002215	60002227	60002240	60002260	60002346
	Fuji ●	60002216	60002228	60002241	60002261	60002347

Matching accessories.

		ZENN			
					
		Skirting	T-profile	Stair nose	
Dimensions (mm)		L 2400 x W 12 x H 60	L 1180 x W 36 x H 8,5-9,5	L 1100 x W 102 x H 53,5	
Pieces per pack		4 pieces	1 piece	2 pieces	
Planks		Sorrento	63003529	63003585	63003672
		Monsanto	63003530	63003586	63003673
		Orlando	63003531	63003587	63003674
		Oslo	63003532	63003588	63003675
		Palermo	63003533	63003589	63003676
		Porto	63003534	63003590	63003677
		Cairo	63003535	63003591	63003678
		Faro	63003536	63003592	63003679

		L 2400 x W 12 x H 60	L 900 x W 36 x H 8,5-9,5	L 880 x W 136 x H 53,5	
Dimensions (mm)					
Pieces per pack		4 pieces	1 piece	2 pieces	
Tiles		Delhi	63003537	63003593	63003680
		Bali	63003538	63003594	63003681
		Rimini	63003539	63003595	63003682
		Fuji	63003540	63003596	63003683





Floors for moments of joy.

BERRY  **ALLOC**

BerryAlloc NV
Industrielaan 100
8930 Mene, Belgium
T +32 56 67 66 11
info@berryalloc.com

berryalloc.com

designed  in Belgium