

READY TO GO VINYL?

UK COLLECTION


FLOORING SOLUTIONS FOR HOUSING

The perfect mix of on-trend design,
quality and durability

**BEAU
FLOR®**
we decorate your floor



GLOAM - TWILIGHT



TREVISIO 617L - QUINTEX

FLOORS FOR SOCIAL AND AFFORDABLE HOUSING

The need for quality social housing is rising year-by-year all around the world. And with rising construction costs, contractors are looking at affordable solutions that offer quality to future residents. That's where vinyl flooring comes into play, offering a combination of affordability, flexibility, durability and easy maintenance.



DISCOVER MORE
ADVANTAGES
ON OUR WEBSITE





**Make
yourself
at home**

GREAT FLOORS MAKE GREAT FUTURE

6	About Beauflor
8	The Beauflor benefits
10	Our key sustainability achievements
12	Quintex
18	Blacktex
30	Twilight
36	Gracetex
42	Resitex Max
48	Xtreme
60	Phoni-Xtreme
70	Beauflor Create
80	Collection guide
82	Classification and icons explained
84	Sustainability
90	Beauflor in certificates
92	Installation instructions

ABOUT BEAUFLOR



Beauflor operates under the flag of Beaulieu International Group (B.I.G.), a global industrial group specializing in activities spanning the chemical sector, industrial applications, flooring, distribution, and real estate. Beaulieu unites this diverse portfolio of businesses driven by a shared ambition: **shaping value that lasts**.

We provide products and services that deliver enduring benefits to our customers, industries, and the environments in which we operate. As a family-owned company, we build on a strong legacy of **entrepreneurship, innovation, and collaboration**, with a long-term vision that ensures **continued growth** for generations to come.

LET'S TALK NUMBERS

Under the wings of Beaulieu, Beauflor has become one of the industry leaders in cushion vinyl rolls, which is reflected in our numbers.

	B.I.G.	BEAUFLOR
 FOUNDED IN	1959	2004
 EMPLOYEES	4500	886
 TURNOVER	2,0 billion euro	389 million euro

numbers 2024




101 mio m² a year

is the amount of cushion vinyl Beauflor creates. That's the size of **Walt Disney World**, the world's largest theme park.

Broad distribution

With 4 state-of-the-art facilities in Belgium, the United States, Slovenia, and Russia, Beauflor is a global player in the flooring industry. These high-tech production sites are a testament to the company's commitment to excellence, enabling us to cater to both residential and commercial needs on an international scale.



Beauflor's extensive distribution network spans over **150 countries**, with a robust presence in DIY chains, wholesale stores, and home decoration retailers. Our global reach ensures that our high-quality cushion vinyl flooring is within your reach, wherever you are.

OUR BENEFITS

At Beauflor, we understand that flooring in social housing projects needs to offer more than just aesthetic appeal. It must deliver exceptional durability, cost-efficiency, and ease of maintenance. Our vinyl floors are specially designed to meet and exceed these expectations.



AFFORDABLE

Our cushion vinyl rolls offer a **budget-friendly** flooring solution without compromising on **quality** or **style**. With a variety of stylish designs, our cushion vinyl rolls offer an affordable way to elevate any room in your home.



DURABLE AND HARD WEARING

When performance matters most, our heavy-duty flooring rises to the challenge. Engineered for the most demanding contract environments, it features an **extra-thick wear layer** to withstand heavy use with ease, resisting scratches and stains while performing flawlessly under constant foot traffic.



KIND TO THE PLANET

Beauflor is committed to reducing its carbon footprint and maintaining the highest environmental standards. We aim to reduce, re-use and recycle at every point of operation. All our vinyl sheet products are **ortho-phthalates free**. We only use non-phthalate plasticisers, such as DOTP which has been evaluated by the ECHA (European Chemicals Agency) as a 'SAFE' product to use. By manufacturing in Europe, we are closer to our markets which means that our products have fewer miles to travel; this helps us to control our **carbon footprint** and reduce the impact of climate change for future generations.



HYGIENIC AND EASY TO CLEAN

Our vinyl floors have a **100% water resistant top layer** and are non-reactive to grease, dirt and everyday chemicals. They have a smooth surface which can be seam sealed, making them easy to clean. Some of our floors are also available with **Bacteria Shield+** Technology. This in-built antimicrobial treatment will kill 99.9% of bacteria for the lifetime of the product - making it the perfect choice for medical centres, children's nurseries and care homes, where a beautiful appearance needs to be combined with a hygienic finish.



SLIP RESISTANT

Thanks to a **slip-resistant topcoat**, our cushion vinyl floors offer superior slip-resistance, reducing the risk of falls and accidents. Even in damp rooms, the topcoat gives **safety underfoot**, ensuring you can move freely and securely throughout your home.



CERTIFIED FOR A SUSTAINABLE FUTURE

Discover the key sustainability certifications and labels that demonstrate our commitment to responsible manufacturing, environmental stewardship, healthier living environments, and continuous improvement. For a complete overview of all our sustainability certifications and labels, please refer to the summary on pages 90-91.



Ecovadis Gold medal

Beauflor has been awarded the EcoVadis Gold Medal since the beginning of January 2026, after receiving the silver label in 2025. With an overall score of 80/100, Beauflor ranks among the top 5% of all companies assessed globally, a clear confirmation that Beauflor’s sustainability efforts are delivering tangible results. EcoVadis is one of the world’s leading sustainability rating programs in global supply chains. Their rigorous evaluation process makes achieving a strong rating a significant accomplishment.



A+ indoor emissions

All Beauflor products are classified as A+ for the emission of volatile substances in inside air (compulsive sanitary labelling in France since January 2012).



Ortho-phthalates free

Ortho-phthalates free

All our vinyl sheet products are produced without plasticizers that contain significant impurities. This means that we only use other non-phthalate plasticizers, such as DOTP. We produce with known virgin raw materials from trustworthy vendors throughout the world and therefore we guarantee a 100% ortho-phthalate-free flooring worldwide.



Floor score

This is the most recognized indoor air quality (IAQ) certification standard for hard surface flooring materials, adhesives, and underlayments in North-America, qualifying for green building schemes including LEED v4, WELL, BREEAM, and CHP.



Made in Europe



Quintex

Thickness: 2,50 mm
Wear layer: 0,25 mm
Weight: 1550 g/m²



Features and benefits

- Available in **5m width**
- **Textile** backing
- **Bfl-s1** fire class
- **R10** slip resistance
- **Premium** coating

LIME OAK 160L

TEX
BVC
TEXTILE
BACKING




STRATFORD OAK 326M



TIMBER OAK 113M

Emboss: Normal wood
Plank size: 14 x 150 cm
Repeat: 200 x 150 cm
2m: 50068207 3m: 50068208
4m: 50068209 5m: 50068445



STRATFORD OAK 326M

Emboss: Normal wood
Plank size: 14,2 x 100 cm
Repeat: 200 x 100 cm
2m: 50068710 3m: 50068711
4m: 50068712 5m: 50068658



STRATFORD OAK 126M

Emboss: Normal wood
Plank size: 14,2 x 100 cm
Repeat: 200 x 100 cm
2m: 50068713 3m: 50068714
4m: 50068715 5m: 50068657



MISTY OAK 990L

Emboss: Normal wood
Plank size: 16,66 x 150 cm
Repeat: 133 x 150 cm
2m: 50054054 3m: 50058619
4m: 50054041 5m: 50054034



MISTY OAK 696M

Emboss: Normal wood
Plank size: 16,66 x 150 cm
Repeat: 133 x 150 cm
2m: 50054053 3m: 50058617
4m: 50054051 5m: 50054033




GAMBEL OAK 110L

Emboss: Normal wood
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50045145 3m: 50045678
4m: 50045141 5m: 50045139



GAMBEL OAK 116M

Emboss: Normal wood
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50045144 3m: 50045679
4m: 50045140 5m: 50045138



GAMBEL OAK 669D

Emboss: Normal wood
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50045234 3m: 50045680
4m: 50045233 5m: 50045231



TIMBER OAK 113M

TEX
BVC
TEXTILE
BACKING



TREVISIO 617L



GREENOCK 239L



LIME OAK 160L
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50045995 3m: 50045684
4m: 50045204 5m: 50045201




HAVANNA OAK 019S
Emboss: Normal wood
Plank size: 16,6 x 150 cm
Repeat: 100 x 150 cm
2m: 50045994 3m: 50045681
4m: 50045203 5m: 50045199



HAVANNA OAK 699L
Emboss: Normal wood
Plank size: 16,6 x 150 cm
Repeat: 100 x 150 cm
2m: 50045071 3m: 50045682
4m: 50045069 5m: 50045065



GREENOCK 239L
Emboss: Tile
Tile size: 25 x 40 cm
Repeat: 200 x 120 cm
2m: 50058614 3m: 50058612
4m: 50058611 5m: 50058608



GREENOCK 193L
Emboss: Tile
Tile size: 25 x 40 cm
Repeat: 200 x 120 cm
2m: 50058613 3m: 50058615
4m: 50058610 5m: 50058609



TREVISIO 617L
Emboss: Tile
Size: All over
Repeat: 200 x 150 cm
2m: 50054056 3m: 50059269
4m: 50054043 5m: 50054036



DISA 101S
Emboss: Tile
Size: All over
Repeat: 100 x 100 cm
2m: 50068673 3m: 50068674
4m: 50068675 5m: 50068707



DISA 979M
Emboss: Tile
Size: All over
Repeat: 100 x 100 cm
2m: 50068676 3m: 50068677
4m: 50068678 5m: 50068708

Blacktex

—
Thickness: 2,80 mm
Wear layer: 0,40 mm
Weight: 1950 g/m²



Features and benefits

- Wear layer: **0.40 mm**
- **Black Textile** backing
- **Bfl-s1** fire class
- **R10** slip resistance
- **Premium** coating
- **15 dB** acoustic value


TEX
BVC
TEXTILE
BACKING



GAMBEL OAK 666D



GAMBEL OAK 226M ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065772 3m: 50066282 4m: 50065753




GAMBEL OAK 363M ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065764 3m: 50066281 4m: 50065754



GAMBEL OAK 119M ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50046589 3m: 50048094 4m: 50046578



GAMBEL OAK 666D ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065765 3m: 50067638 4m: 50065755



OAKLAND 636D ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065770 3m: 50066285 4m: 50065760



OAKLAND 336M ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065771 3m: 50066287 4m: 50065761



OAKLAND 219M ⇨
Emboss: Sand
Plank size: 16,6 x 120 cm
Repeat: 100 x 120 cm
2m: 50065769 3m: 50066286 4m: 50065759



FUMED OAK 966M ⇨
Emboss: Sand
Plank size: 12,5 cm x diff. lengths
Repeat: 100 x 150 cm
2m: 50033536 3m: 50038184 4m: 50032860




OAKLAND 636D


**TEX
BVC**
TEXTILE
BACKING




LAUREL OAK 663L




TASMANIAN OAK 216M ⇨
Emboss: Sand
Plank size: 18,2 x 150 cm
Repeat: 200 x 150 cm
2m: 50065766 3m: 50066290 4m: 50065756



TASMANIAN OAK 336M ⇨
Emboss: Sand
Plank size: 18,2 x 150 cm
Repeat: 200 x 150 cm
2m: 50065767 3m: 50066307 4m: 50065757




TASMANIAN OAK 669D ⇨
Emboss: Sand
Plank size: 18,2 x 150 cm
Repeat: 200 x 150 cm
2m: 50065768 3m: 50066292 4m: 50065758




TASMANIAN OAK 096L ⇨
Emboss: Sand
Plank size: 18,2 x 150 cm
Repeat: 200 x 150 cm
2m: 50046590 3m: 50048091 4m: 50046579




LAUREL OAK 199M ⇨
Emboss: Sand
Plank size: 10 x 47 cm
Repeat: 200 x 100 cm
2m: 50065818 3m: 50066284 4m: 50065814



LAUREL OAK 669D ⇨
Emboss: Sand
Plank size: 10 x 47 cm
Repeat: 200 x 100 cm
2m: 50065731 3m: 50065732 4m: 50065733



LAUREL OAK 663L ⇨
Emboss: Sand
Plank size: 10 x 47 cm
Repeat: 200 x 100 cm
2m: 50065778 3m: 50066283 4m: 50065777



LAUREL OAK 116L ⇨
Emboss: Sand
Plank size: 10 x 47 cm
Repeat: 200 x 100 cm
2m: 50065728 3m: 50065729 4m: 50065730




COLUMBIAN OAK 139L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50034302 3m: 50066279 4m: 50032858



COLUMBIAN OAK 629L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50024446 3m: 50024424 4m: 50022963



COLUMBIAN OAK 161M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50046582 3m: 50066291 4m: 50046571




COLUMBIAN OAK 692M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50024449 3m: 50023501 4m: 50022961




COLUMBIAN OAK 636L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50024447 3m: 50030544 4m: 50022955



COLUMBIAN OAK 649M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50024448 3m: 50024556 4m: 50022960



WHITE OAK 979L ⇨
Emboss: Sand
Plank size: 12,5 x 100 cm
Repeat: 100 x 100 cm
2m: 50024331 3m: 50038185 4m: 50024329



WHITE OAK 997D ⇨
Emboss: Sand
Plank size: 12,5 x 100 cm
Repeat: 100 x 100 cm
2m: 50024335 3m: 50038186 4m: 50024333



TEXAS OAK 136L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50033532 3m: 50038187 4m: 50032850



TEXAS OAK 162L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50033533 3m: 50069562 4m: 50032852



TEXAS OAK 106L ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50025122 3m: 50030548 4m: 50025108



TEXAS OAK 977D ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50046587 3m: 50048092 4m: 50046576



CROUCH OAK 699D ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50048692 3m: 50066280 4m: 50048685



CROUCH OAK 170M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50048691 3m: 50049991 4m: 50048684



CROUCH OAK 696D ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50048818 3m: 50069350 4m: 50048817



CROUCH OAK 614M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50048689 3m: 50049992 4m: 50048677



CROUCH OAK 126M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50048690 3m: 50049990 4m: 50048676



VALLEY OAK 639M ⇨
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50038601 3m: 50038180 4m: 50032863



PAMPLONA 990E ⇨
Emboss: Sand
Tile size: 33,3 x 50 cm
Repeat: 100 x 100 cm
2m: 50025119 3m: 50030557 4m: 50025113



PAMPLONA 126L ⇨
Emboss: Sand
Tile size: 33,3 x 50 cm
Repeat: 100 x 100 cm
2m: 50065763 3m: 50069563 4m: 50065762



CROUCH OAK 170M

PAMPLONA 126L

**TEX
BVC**
TEXTILE
BACKING



CASALI 126L



BETON CIRE 906M
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50065751 3m: 50069561 4m: 50065740




BETON CIRE 096L
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50065752 4m: 50065739




CASALI 619M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50065746 4m: 50065745




CASALI 199L
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50065747 3m: 50069630 4m: 50065743



CASALI 126L
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50065748 3m: 50071854 4m: 50065741



SAFIRA 947D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50066120 3m: 50067391 4m: 50064220



SAFIRA 996M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50035828 3m: 50066289 4m: 50029475



SAFIRA 990D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50031736 3m: 50048095 4m: 50029477



BÉTON CIRÉ 906M



VARENNA 166L
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50059714 3m: 50066294 4m: 50059713



VARENNA 199M
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50059705 3m: 50066296 4m: 50059696



VARENNA 919D
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50059704 3m: 50066278 4m: 50059697



VARENNA 996E
Emboss: Sand
Size: Allover
Repeat: 200 x 100 cm
2m: 50059703 3m: 50066295 4m: 50059698



PITTSBURGH 969D
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50053957 3m: 50059285 4m: 50053958



PITTSBURGH 990M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50053959 3m: 50059286 4m: 50053960



ZINC 990D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50039234 4m: 50036286



ZINC 996D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50039235 4m: 50036287



ZINC 976M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50039233 3m: 50042980 4m: 50036288



ZINC 099M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50045449 3m: 50066999 4m: 50045447



ROCKINGHAM 790M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50065726 3m: 50066288 4m: 50065727



ROCKINGHAM 760D
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50065738 3m: 50065724 4m: 50065725

Twilight


Thickness: 3,00 mm
Wear layer: 0,40 mm
Weight: 1850 g/m²



Features and benefits

- 100% **biocircular attributed PVC**
- **40% reduction** in CO₂ emissions
- **100% recyclable**
- **19 dB** acoustic value
- **Antibacterial** shield
- **Low VOC** emissions


Thickness: 3,00 mm | Wear layer: 0,40 mm | Weight: 1850 g/m²



SILHOUETTE



SILHOUETTE
Emboss: Sand
Plank size: 8,3 x 47 cm
Repeat: 200 x 100 cm
2m: 50064814 4m: 50064795



SCATTER
Emboss: Sand
Plank size: 25 x 25 cm
Repeat: 200 x 100 cm
2m: 50064823 4m: 50064786



RAY
Emboss: Sand
Plank size: 14,2 x 100 cm
Repeat: 200 x 100 cm
2m: 50066432 4m: 50066417



AURA
Emboss: Sand
Plank size: 14,3 x 100 cm
Repeat: 100 x 100 cm
2m: 50066431 4m: 50066422




DAWN
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 200 x 150 cm
2m: 50064817 4m: 50064792



DAWN

Thickness: 3,00 mm | Wear layer: 0,40 mm | Weight: 1850 g/m²



HORIZON
Emboss: Sand
Plank size: 50 x 10 cm
Repeat: 200 x 180 cm
2m: 50064820 4m: 50064789



ANGLE
Emboss: Sand
Plank size: Diff. plank sizes
Repeat: 200 x 120 cm
2m: 50064818 4m: 50064791



GRADE
Emboss: Sand
Tile size: 12,5 x 12,5 cm
Repeat: 100 x 100 cm
2m: 50064819 4m: 50064790



SHADE
Emboss: Sand
Tile size: 7 x 35 cm
Repeat: 200 x 100 cm
2m: 50064816 4m: 50064793



ELEVATION
Emboss: Sand
Tile size: 7,2 cm x diff. lengths
Repeat: 200 x 200 cm
2m: 50064822 4m: 50064787



GLOAM
Emboss: Sand
Size: All over
Repeat: 200 x 150 cm
2m: 50064815 4m: 50064794



HAZE
Emboss: Sand
Size: All over
Repeat: 200 x 100 cm
2m: 50066433 4m: 50066411



DUSK
Emboss: Sand
Size: All over
Repeat: 200 x 150 cm
2m: 50064821 4m: 50064788

Gracetex

Thickness: 3,00 mm
Wear layer: 0,50 mm
Weight: 2160 g/m²



Features and benefits

- Wear layer: **0.50 mm**
- **Textile** backing
- **Bfl-s1** fire class
- **R10** slip resistance
- **Premium** coating
- **16 dB** acoustic value

LIME OAK 613M

**TEX
BVC**
TEXTILE
BACKING



MIDDELBURG 016L




MIDDELBURG 016L ⇨
Emboss: Sand
Plank size: 14 x 56 cm
Repeat: 400 x 100 cm
2m: 50064604 3m: 50064635 4m: 50064508




MIDDELBURG 336M ⇨
Emboss: Sand
Plank size: 14 x 56 cm
Repeat: 400 x 100 cm
2m: 50064606 3m: 50064637 4m: 50064510



MIDDELBURG 696D ⇨
Emboss: Sand
Plank size: 14 x 56 cm
Repeat: 400 x 100 cm
2m: 50064608 3m: 50064640 4m: 50064513




LIME OAK 666D ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064610 3m: 50064642 4m: 50064515



LIME OAK 613M ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064612 3m: 50064644 4m: 50064518




LIME OAK 336M ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064614 3m: 50064647 4m: 50064521



LIME OAK 263M ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064616 3m: 50064649 4m: 50064523



LIME OAK 223M ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064618 3m: 50064651 4m: 50064526



LIME OAK 960L ⇨
Emboss: Normal wood
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50064621 3m: 50064653 4m: 50064528




LIME OAK 960L

TEX
BVC
TEXTILE
BACKING




MONTREAL 116L



DISA 911L
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50064623 3m: 50064655 4m: 50064531



DISA 997M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50064625 3m: 50064657 4m: 50064533



DISA 966D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50064627 3m: 50064660 4m: 50064536



MONTREAL 966D
Emboss: Tile
Size: Allover
Repeat: 200 x 150 cm
2m: 50064629 3m: 50064662 4m: 50064538



MONTREAL 616M
Emboss: Tile
Size: Allover
Repeat: 200 x 150 cm
2m: 50064631 3m: 50064664 4m: 50064541



MONTREAL 116L
Emboss: Tile
Size: Allover
Repeat: 200 x 150 cm
2m: 50064633 3m: 50064667 4m: 50064543



DISA 997M

Resitex Max

Thickness: 3,50 mm
Wear layer: 0,55 mm
Weight: 2550 g/m²

PURE OAK 460M

Features and benefits

- (Semi-)Loose lay installation
- Antibacterial shield
- Low VOC emissions
- R10 slip resistance
- Cfl-s1 fire class
- 19 dB acoustic value
- 66+ pendulum test

Resitex Max


Thickness: 3,50 mm | Wear layer: 0,55 mm | Weight: 2550 g/m²




**TEX
BVC**
TEXTILE
BACKING

**ACOUSTIC
RATING**

19 dB



VERO 161M
Emboss: Sand
Plank size: 14,3 x 100 cm
Repeat: 100 x 100 cm
2m: 50067229 4m: 50067216



VERO 266M
Emboss: Sand
Plank size: 14,3 x 100 cm
Repeat: 100 x 100 cm
2m: 50067296 4m: 50067297




VERO 080L
Emboss: Sand
Plank size: 14,3 x 100 cm
Repeat: 100 x 100 cm
2m: 50067227 4m: 50067214




VERO 986D
Emboss: Sand
Plank size: 14,3 x 100 cm
Repeat: 100 x 100 cm
2m: 50067228 4m: 50067215



PURE OAK 426M
Emboss: Sand
Plank size: 16,6 x 100 cm
Repeat: 100 x 100 cm
2m: 50067219 4m: 50067206



PURE OAK 460M
Emboss: Sand
Plank size: 16,6 x 100 cm
Repeat: 100 x 100 cm
2m: 50067218 4m: 50067205



PURE OAK 269M
Emboss: Sand
Plank size: 16,6 x 100 cm
Repeat: 100 x 100 cm
2m: 50067220 4m: 50067207



COLUMBIAN OAK 121M
Emboss: Sand
Plank size: 20 x 150 cm
Repeat: 100 x 150 cm
2m: 50067217 4m: 50067204



VERO 266M



PURE OAK 269M



**TEX
BVC**
TEXTILE
BACKING

**ACOUSTIC
RATING**

19 dB



LANNION 319M
Emboss: Sand
Plank size: Allover
Repeat: 200 x 100 cm
2m: 50067222 4m: 50067209



LANNION 669M
Emboss: Sand
Plank size: Allover
Repeat: 200 x 100 cm
2m: 50067221 4m: 50067208



MONTREAL 112M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50067224 4m: 50067211



MONTREAL 902M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50067225 4m: 50067212



MONTREAL 916D
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50067226 4m: 50067213



Xtreme

Thickness: 2,00 mm
Wear layer: 0,70 mm
Weight: 2800 g/m²



Features and benefits

- Wear layer: **0.70 mm**
- **Antibacterial** shield
- **Low VOC** emissions
- **100% recyclable**
- **Bfl-s1** fire class
- **R10** slip resistance




NATURAL OAK 369M



HAVANNA OAK 662M ⇨
 Emboss: Sand
 Plank size: 16,6 x 150 cm
 Repeat: 100 x 150 cm
 2m: 50039252 3m: 50041516 4m: 50040392




HAVANNA OAK 602M ⇨
 Emboss: Sand
 Plank size: 16,6 x 150 cm
 Repeat: 100 x 150 cm
 2m: 50039251 3m: 50040590 4m: 50039878




HAVANNA OAK 694M ⇨
 Emboss: Sand
 Plank size: 16,6 x 150 cm
 Repeat: 100 x 150 cm
 2m: 50039256 3m: 50040592 4m: 50039883




HAVANNA OAK 696L ⇨
 Emboss: Sand
 Plank size: 16,6 x 150 cm
 Repeat: 100 x 150 cm
 2m: 50039258 3m: 50045213 4m: 50039885



NATURAL OAK 226M ⇨
 Emboss: Sand
 Plank size: 10 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039253 4m: 50039880



NATURAL OAK 369M ⇨
 Emboss: Sand
 Plank size: 10 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039255 3m: 50041515 4m: 50040394



GOLDEN OAK 690L ⇨
 Emboss: Sand
 Plank size: 10 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039254 3m: 50041517 4m: 50040393



GOLDEN OAK 696L ⇨
 Emboss: Sand
 Plank size: 10 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039263 3m: 50040589 4m: 50039890



HAVANNA OAK 662M




SILK OAK 109S




OAK CHEVRON 913M



PURE OAK 904M ⇨
 Emboss: Sand
 Plank size: 16,6 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039264 3m: 50045215 4m: 50040395




PURE OAK 946E ⇨
 Emboss: Sand
 Plank size: 16,6 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039266 3m: 50040606 4m: 50039893



SILK OAK 109S ⇨
 Emboss: Sand
 Plank size: 16,6 x 100 cm
 Repeat: 100 x 100 cm
 2m: 50039929 3m: 50040607 4m: 50037191



LIME OAK 976M ⇨
 Emboss: Sand
 Plank size: 20 x 150 cm
 Repeat: 100 x 150 cm
 2m: 50039261 3m: 50040593 4m: 50039888



OAK CHEVRON 913M ⇨
 Emboss: Sand
 Plank size: 7 x 35,3 cm
 Repeat: 100 x 100 cm
 2m: 50039260 3m: 50040605 4m: 50039887



LANNION 966M ⇨
 Emboss: Sand
 Plank size: Allover
 Repeat: 200 x 100 cm
 2m: 50060182 4m: 50060154



LANNION 669M ⇨
 Emboss: Sand
 Plank size: Allover
 Repeat: 200 x 100 cm
 2m: 50060183 4m: 50060153



LANNION 319M ⇨
 Emboss: Sand
 Plank size: Allover
 Repeat: 200 x 100 cm
 2m: 50060181 4m: 50060155



MONTREAL 900M




TWEEED 696D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060133 4m: 50060110



TWEEED 956D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060132 4m: 50060111



MONTREAL 900M
 Emboss: Sand
 Size: Allover
 Repeat: 200 x 150 cm
 2m: 50058416 4m: 50058415




PITTSBURGH 976D
 Emboss: Sand
 Size: Allover
 Repeat: 200 x 150 cm
 2m: 50051278 4m: 50051194



SARA 139M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060180 4m: 50060156



SARA 769D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060179 4m: 50060157




SARA 699D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060178 4m: 50060158



SARA 699D



MIRA 190L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039928 3m: 50040595 4m: 50039913



MIRA 116L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039927 3m: 50041041 4m: 50039912




MIRA 160L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039926 3m: 50040594 4m: 50039911




MIRA 909L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039925 3m: 50040601 4m: 50039910



MIRA 970M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039924 3m: 50040602 4m: 50039909



MIRA 690D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039923 3m: 50041040 4m: 50039908



MIRA 990D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039922 3m: 50040603 4m: 50039907




MIRA 330M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039915 4m: 50039900



MIRA 550M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039917 4m: 50039902



MIRA 770M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039919 3m: 50041038 4m: 50039904




MIRA 707M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50039920 3m: 50040600 4m: 50039905



ROXANNE 220M-330M-440M-110L



ROXANNE 990L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060127 4m: 50060116



ROXANNE 110L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060129 4m: 50060114



ROXANNE 610L
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060131 4m: 50060112



ROXANNE 690D
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060128 4m: 50060115



ROXANNE 220M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060124 4m: 50060119



ROXANNE 330M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060123 4m: 50060120



ROXANNE 440M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060122 4m: 50060121



ROXANNE 660M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060130 4m: 50060113



ROXANNE 550M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060125 4m: 50060118



ROXANNE 770M
 Emboss: Sand
 Size: Allover
 Repeat: 100 x 100 cm
 2m: 50060126 4m: 50060117



ROXANNE 550M-770M-990L

Phoni-Xtreme

Thickness: 3,35 mm
Wear layer: 0,70 mm
Weight: 2400 g/m²




Features and benefits

- Wear layer: **0.70 mm**
- **Antibacterial** shield
- **Low VOC** emissions
- **100% recyclable**
- **Bfl-s1** fire class
- **R10** slip resistance
- **19 dB** acoustic value




WILLOW



WILLOW
 Emboss: Sand
 Plank size: Diff. widths x 75 / 80 / 150 cm
 Repeat: 100 x 300 cm
 2m: 50051243 4m: 50051215




PACIFIC OAK 699D
 Emboss: Sand
 Plank size: Diff. widths x 200 cm
 Repeat: 200 x 400 cm
 2m: 50051239 4m: 50051211



PACIFIC OAK 696D
 Emboss: Sand
 Plank size: Diff. widths x 200 cm
 Repeat: 200 x 400 cm
 2m: 50051242 4m: 50051214



PACIFIC OAK 639M
 Emboss: Sand
 Plank size: Diff. widths x 200 cm
 Repeat: 200 x 400 cm
 2m: 50051241 4m: 50051213



PACIFIC OAK 268M
 Emboss: Sand
 Plank size: Diff. widths x 200 cm
 Repeat: 200 x 400 cm
 2m: 50051240 4m: 50051212




PACIFIC OAK 139L
 Emboss: Sand
 Plank size: Diff. widths x 200 cm
 Repeat: 200 x 400 cm
 2m: 50051238 4m: 50051210



SUNRISE OAK 191L
 Emboss: Sand
 Plank size: 22 x 200 cm
 Repeat: 200 x 200 cm
 2m: 50051234 4m: 50051206



SUNRISE OAK 169L
 Emboss: Sand
 Plank size: 22 x 200 cm
 Repeat: 200 x 200 cm
 2m: 50051235 4m: 50051207



SUNRISE OAK 619M
 Emboss: Sand
 Plank size: 22 x 200 cm
 Repeat: 200 x 200 cm
 2m: 50051236 4m: 50051208



SUNRISE OAK 916M
 Emboss: Sand
 Plank size: 22 x 200 cm
 Repeat: 200 x 200 cm
 2m: 50051237 4m: 50051209



SUNRISE OAK 191L

Thickness: 3,35 mm | Wear layer: 0,70 mm | Weight: 2400 g/m²



DIGITAL
PRINT

ACOUSTIC
RATING
19 dB



TWEED 696D



LANNION 966M
Emboss: Sand
Plank size: Allover
Repeat: 200 x 100 cm
2m: 50060166 4m: 50060160



LANNION 669M
Emboss: Sand
Plank size: Allover
Repeat: 200 x 100 cm
2m: 50060165 4m: 50060159



LANNION 319M
Emboss: Sand
Plank size: Allover
Repeat: 200 x 100 cm
2m: 50060167 4m: 50060161



RUSH
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50051244 4m: 50051216



LANNION 11L



TWEED 696D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060097 4m: 50060085



TWEED 956D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060098 4m: 50060086



CLARKSON 327M



LAZIO 199M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50051249 4m: 50051221



TREVISO 617L
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50051247 4m: 50051219



MONTREAL 900M
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50058551 4m: 50058550



PITTSBURGH 976D
Emboss: Sand
Size: Allover
Repeat: 200 x 150 cm
2m: 50051250 4m: 50051222



SARA 769D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060169 4m: 50060163



SARA 139M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060168 4m: 50060162



SARA 699D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060170 4m: 50060164



CLARKSON 327M
Emboss: Sand
Size: Allover
Repeat: 200 x 200 cm
2m: 50051246 4m: 50051218



TREVISO 617L




ROXANNE 220M-330M-440M-110L



ROXANNE 990L
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060104 4m: 50060091



ROXANNE 110L
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060102 4m: 50060089



ROXANNE 610L
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060099 4m: 50060087



ROXANNE 690D
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060103 4m: 50060090



ROXANNE 220M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060107 4m: 50060094




ROXANNE 330M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060108 4m: 50060095




ROXANNE 440M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060109 4m: 50060096



ROXANNE 660M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060101 4m: 50060088



ROXANNE 550M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060106 4m: 50060093



ROXANNE 770M
Emboss: Sand
Size: Allover
Repeat: 100 x 100 cm
2m: 50060105 4m: 50060092



ROXANNE 220M-330M-440M-110L



**UNLEASH
YOUR
CREA
TIVITY**

**BEAU
FLOR[®]**
create

What if you could create a floor that is more than just a surface?
A floor that reflects your space's personality.
A canvas to unleash your creativity.

With **Beauflor Create**, your floor becomes a statement.
Bold. Expressive. Different by design.

And the best part?
You don't have to imagine it on your own.
At Beauflor, we co-create with you.
Together, we bring your vision to life.

**BEAUFLO^R CREATE.
CREATIVE FLOORS.
CO-CREATED.
BANG ON.**

BEAUFLORE CREATE

Transform any space into a canvas of your imagination with Beauflor's custom design floors. Whether renovating a shop, decorating a restaurant, or personalizing a public area, our digital printed vinyl floors offer unparalleled flexibility and creativity. From 88 m² onwards, we make your vision a reality.



Your options: from changing the color to creating a truly bespoke floor!

STUDIO

Pick a design in one of our existing collections or image bank and change the color(s), add your own logo or text, etc. Your room, your floor, so unleash your creativity to tweak our designs.

CREA

Bring your own design or image to the table along with a creative briefing and we'll turn it into a printable design for vinyl rolls. Together, we'll bring a floor – or even an entire collection – to life that perfectly matches your preferences.



Did you know?

We also help you with the layout of the floor by translating your bespoke design in an easy-to-understand installation plan.



BEAUFLOR CREATE




**Dare to
go wild**




BEAUFLORE CREATE REFERENCE PROJECTS

Whether you need a floor for an office, school, kindergarten, exhibition, healthcare or the hospitality sector - we have it covered! - If you cannot find what you are looking for, you can always design your own floor, together with our design team!




E Leclerc commercial centre
France

Ankamar Playland
Turkey



High school sports centre
The Netherlands



School RSG Ter Apel
The Netherlands



BEAUFLOR CREATE REFERENCE PROJECTS



Be Food
Belgium

Mattel Project
Galleria Mall
Abu Dhabi

COLLECTION
GUIDE

		QUINTEX	BLACKTEX		TWILIGHT	GRACETEX	RESITEX MAX	XTREME	PHONI-XTREME
Norm		EN ISO 26986	EN ISO 26986		EN ISO 26986	EN ISO 26986	EN ISO 26986	EN ISO 10582	EN ISO 11638
Usage classification	ISO 10874 (EN 685)	23 - 31	23 - 32 - 41		23 - 32 - 41	23 - 33 - 41	23 - 33 - 42	23 - 34 - 43	23 - 34 - 42
Total thickness	EN ISO 24346 (EN 428)	2,50 mm	2,80 mm		3,00 mm	3,00 mm	3,50 mm	2,00 mm	3,35 mm
Wear layer	EN ISO 24340 (EN 429)	0,25 mm	0,40 mm		0,40 mm	0,50 mm	0,55 mm	0,70 mm	0,70 mm
Weight	EN ISO 23997 (EN 430)	1550 g/m²	1950 g/m²		1850 g/m²	2160 g/m²	2550 g/m²	2800 g/m²	2400 g/m²
Available roll widths	EN ISO 24341 (EN 426)	2 - 3 - 4 - 5 m*	2 - 3 - 4 m*		2 - 3 - 4 m*	2 - 3 - 4 m*	2 - 4 m*	2 - 3 - 4 m*	2 - 4 m*
Standard roll length	EN ISO 24341 (EN 426)	+/- 30 m	+/- 30 m		+/- 24 m	+/- 28 m	+/- 22 m	+/- 22 m	+/- 25 m
Abrasion group	EN 660-2	T	T		T	T	T	T	T
Dimensional stability	EN ISO 23999 (EN 434)	≤ 0,40 %	≤ 0,40 %		≤ 0,40 %	≤ 0,40 %	≤ 0,40 %	≤ 0,40 %	≤ 0,40 %
Light stability	EN ISO 105 B02	≥ 6	≥ 6		≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Residual indentation	EN ISO 24343-1 (EN 433)	≤ 0,35 mm	≤ 0,20 mm		≤ 0,20 mm	≤ 0,20 mm	≤ 0,20 mm	≤ 0,10 mm	≤ 0,20 mm
Impact sound improvement	EN ISO 717/2	Δ Lw 16 dB	Δ Lw 15 dB		Δ Lw 19 dB	Δ Lw 16 dB	Δ Lw 19 dB	Δ Lw 6 dB	Δ Lw 19 dB
Slip resistance (ramp test with oil)	EN 16165:2021 - Annex B (DIN 51130)	R10	R10		R10	R10	R10	R10	R10
Reaction to fire	EN 13501*1	Bfl-s1	Bfl-s1		Bfl-s1	Bfl-s1	Cfl-s1	Bfl-s1	Bfl-s1
Thermal resistance	ISO 8302	0,0250 m².K/W	0,0180 m².K/W		0,0280 m².K/W	0,0250 m².K/W	0,0180 m².K/W	0,0140 m².K/W	0,0300 m².K/W
Static electrical propensity (on concrete)	EN 1815	< 2 kV	< 2 kV		< 2 kV	< 2 kV	< 2 kV	< 2 kV	< 2 kV
Castor chair resistance	EN ISO 4918	-	Suitable (Type wheel W)		Suitable (Type wheel H)	Suitable (Type wheel W)	Suitable (Type wheel W)	Suitable (Type wheel H)	Suitable (Type wheel H)
Pendulum test	CENTS 15676:2007	38+	45+		42+	-	66+	43+	-
Backing		Tex Bac	Black tex Bac		Comfort Bac	Tex Bac	Tex Bac	Solid Bac	Comfort Bac
Top coating		Premium coating	Premium coating		Protech coating	Premium coating	Protech coating	Protech coating	Protech coating
Antibacterial treatment	ISO 22196	-	-		Yes	-	Yes	Yes	Yes
Warranty		7 y residential	10 y residential 5 y commercial		10 y residential 5 y commercial	15 y residential 5 y commercial	10 y residential	20 y residential 10 y commercial	20 y residential 10 y commercial
CE Mark		450-FC0013-1 450-TC0013-1	450-TC0013-1		450-CC0013-1	450-TC0013-1	641-TB0019-1	450-SC0013-1	450-CC0013-1



CLASSIFICATION OF USE

Our vinyl collections are classified according to the European usage classification standard, providing a clear and reliable way to assess product performance and suitability. This standardized system helps identify the environments and intensity of use each flooring solution is designed to withstand. By using a common classification method, it becomes easier to compare products and select the right flooring for every application. The classification is represented by a set of numbers, each with a specific meaning explained alongside.

QUICK GUIDE

The first digit gives an idea of the environment:

- 2: Domestic
- 3: Commercial
- 4: Industrial

The second digit indicates the usage:

- 1: Moderate
- 2: General
- 3: Heavy
- 4: Very Heavy



23 | Domestic Heavy
The floor is suitable for intensive use in any home. It's perfect for kitchens, playrooms or any other space with a high frequency of traffic.



31 | Commercial Moderate
Suitable for moderate use in commercial applications such as private offices, hotel rooms or flats.



32 | Commercial General
A floor of absolute quality for domestic use but also of high quality for public, administrative or commercial places with intermediate use such as waiting rooms, hotel lobbies, exhibition halls, shops, collective offices, libraries or classrooms.



33 | Commercial Heavy
Perfect for intensive commercial use in shops and public areas such as cafeterias, waiting rooms, amphitheatres, restaurants and kitchens, staircases or offices.



34 | Commercial Very Heavy
Suitable for commercial spaces with a very intense traffic zone such as class rooms with direct access to the outside, museums or public meeting rooms.



41 | Industrial Moderate
The floor is ideal for industrial spaces with a moderate use such as restaurant chains or those with a high frequency of traffic, medium-sized commercial areas or small light equipment workshops.



42 | Industrial Moderate
Suitable for medium industrial use such as supermarkets, laboratories with production lines or workshops with pneumatic trolleys.



43 | Industrial Heavy
The floor is suitable for industrial spaces where traffic is actually high-frequency such as warehouse facilities.

OUR ICONS EXPLAINED

Below icons explain the features and benefits of our products. You'll find them throughout our catalogue in our different collections. They will help you in choosing the right product.

Backing features



Tex Bac: Our textile backing smoothens irregularities in the subfloor making your floor even more soundproof.



Silver Tex Bac: Our silver textile backing smoothens irregularities in the subfloor making your floor even more soundproof.



Black Tex Bac: Our trendy black textile backing smoothens irregularities in the subfloor making your floor even more soundproof.



Comfort Bac: A polymer foam backing with excellent sound absorbing qualities providing warmth and comfort underfoot.



Power Bac: A resilient foam backing with "bouncebackability" ensuring appearance retention.



Waffle Bac: A foam backing with a waffle structure. This allows you to install your floor even faster and cover imperfections on the subfloor more easily.

Other features



Flextreme: A revolutionary interlayer giving increased tear and crease resistance.



R10: Perfect for domestic areas where an increased slip risk may occur, like kitchens, washrooms and even bathrooms (when using a bathmat). It's easy to clean while still possessing decent anti-slip properties.



R11: Superior slip resistance for both dry and wet environments, which makes this perfect for use in home environments varying from damper areas such as bathrooms and kitchens, wet rooms to hallways and even living rooms.



Digital print: Our exclusive, high definition digital printing technology makes your vinyl floor more realistic than ever before.



Slip resistant: Our innovative slip retardant enhancement - your safest choice for kitchens and bathrooms.



Natural look: Combined thermal and mechanical embossing on top of advanced printing technologies results in the natural look of real wooden or tile floor.



Floor heating: Compatible with underfloor heating. Vinyl floors have a low thermal resistance and are therefore ideal for underfloor heating.

Top coating features



Protech coating: A high-performance coating that enhances the durability of our vinyl floors by making them resistant to dirt, scratches, and bacteria. With its advanced formula, it also ensures a cleaner, safer environment while keeping VOC emissions low.



Premium coating: The protective topcoat prevents scuffing and staining, making your floor easy to clean.



Anti-Slip coating: Ideal for when you need extra safety and protection. Our Anti-Slip coating gives added peace of mind for areas like a toilet, kitchen or care home.



Our **Low VOC lacquer** delivers a healthier indoor environment by minimizing harmful emissions. Designed for a greener and cleaner flooring solution, it provides exceptional protection while promoting better air quality.



Our **Bacteria Shield+** PU lacquer includes biocides which prevent the growth of bacteria on the surface of our floors and kills them within 24 hours.

SUSTAINABILITY

LET'S GO GREEN!

BECAUSE WE CAN

We firmly believe that doing business responsibly and innovating with sustainable solutions is a must to stay on top of our field. But as one of the global industry leaders for cushion vinyl flooring, we also feel that it's our moral duty to contribute to a more sustainable world. Especially because we are in the position to make a big difference.

Uncountable square meters of flooring pass under our feet on a weekly basis. Strolling around the house, navigating the office, shopping in town ... we encounter floors everywhere. And Beauflor has a big piece of the pie, designing, producing and distributing large volumes of vinyl flooring to all corners of the world every year.

Well aware of our enormous social and environmental responsibility, we've integrated a sustainable approach into all aspects of our business – from deeply caring for our employees to offering a growing number of eco-friendly flooring solutions.



**BEAU
FLOR®**

Be part of
the change!

SUSTAINABILITY

A TAILORED SUSTAINABILITY MODEL

Sustainability is an integral part of Beauflor and will gain even more importance in the years to come.

To continuously improve our performance when it comes to environmental, social, ethical and economical matters, we created our very own sustainability model. Why? Because we felt that a general framework, such as the UN's 17 Sustainable Development Goals, falls somewhat short of our own unique aspirations.

After carefully capturing the vision of our people, we translated their concerns and ambitions into 5 focus points, which are closely intertwined with our company DNA.

#1 We take responsibility for the environmental impacts generated in our operations.



water



energy



waste

#2 We value our employees and the people around us.



our
workforce



local
communities



safety

#3 We work towards a circular economy with the whole supply chain in mind.



packaging



circular
solutions



renewable
& recycled
content in
products

#4 We take responsibility for our climate impact.



renewable
energy



CO₂ emissions

#5 We act with integrity and value open communication.



communication



code of
conduct for
suppliers



B.I.G.
policies &
guidelines

Together for a human, collaborative and sincere future

ROLLING INTO A LIFECYCLE APPROACH

TURNING GREENISH INTO BRIGHT GREEN

We want to help consumers to reduce their ecological footprints, whether it's a family wanting to refurbish their home, a businessman planning to build new offices or a retail store looking to find an ideal mix between usability and sustainability. All our products aim to be green. But what exactly makes a product truly 'green'? The answer lies in lifecycle assessment.


Lifecycle assessment implies that everyone in the whole chain of a product's lifecycle, from cradle to grave, has a responsibility and a role to play. From the sourcing of raw materials to end-of-life solutions: every phase of our supply chain offers opportunities to protect the planet. It is our ambition to seize those opportunities to the fullest.

Full transparency

With EPD and FDES certificates, we provide independently verified and comparable data about the environmental impact of our products. This allows people to objectively evaluate the science-based results of our sustainability efforts. Water consumption, CO₂ emissions, waste management ... numerous key environmental issues are addressed throughout the whole lifecycle.



A new
opportunity
with every
step



BEAUFLO IN CERTIFICATES



REACH

REACH is a European Union regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. B.I.G. floorcoverings ensures full REACH compliance, excluding harmful substances like formaldehyde, lead, cadmium, mercury, or hexavalent chromium.



Ortho-phthalates free



Floorscore®

This is the most recognized indoor air quality (IAQ) certification standard for hard surface flooring materials, adhesives, and underlayments in North-America, qualifying for green building schemes including LEED v4, WELL, BREEAM, and CHP.



AgBB

AgBB (Ausschuss zur gesundheitlichen Bewertung von Bauprodukten) is a committee for health-related evaluation of building products. Beauflor's vinyl products satisfy the stringent emission criteria as stipulated by the renowned DIBt Institute in Berlin.



Green A+ label

All our Beauflor products carry the green A+ label, the highest accolade awarded on indoor air emissions by the French authorities.



BREEAM

BREEAM is one of the world's leading rating systems to measure sustainability and environmental performance of new and existing buildings. Beauflor products, which hold high ratings, positively contribute to a building's overall score.



QNG READY

QNG-Ready products offer proven sustainability and facilitate subsidisation and QNG certification of eligible construction projects in Germany. Some of our products are QNG-Ready. Please check product specifications to confirm certification.



FDES

An FDES (Fiche de Déclaration Environnementale et Sanitaire) is a standardized document that shows the results of a product's life cycle analysis as well as health information, used to calculate the environmental and health performance of an eco-designbuilding. This is also known as an EPD (Environmental Product Declaration). All our ranges are covered by an FDES - or EPD - which enables our customers to assess the environmental impact of our products and to our engineers, to set eco-design targets according to objective criteria.



ISCC+

To provide our clients full transparency on our products with biocircular attributed feedstock, we had both our plants audited by ISCC+. This audit confirmed our compliance with strict sustainability standards for the traceability and attribution of renewable resources throughout the value chain.



EcoVadis

The EcoVadis rating covers a wide range of non-financial management systems, including environmental, labor & human rights, ethics and sustainable procurement impacts. EcoVadis, the world's most trusted provider of corporate sustainability ratings, assesses a company's commitments, policies, actions, and results on these 4 topics. Beauflor has achieved a Gold EcoVadis medal for its operations and factories. This reward underlines our valued actions and reliability in the field of sustainable business operations.



ISO 14001

ISO 14001 certification means that the industrial site complies with all the environmental standards, measures all environmental impacts and is committed to continuously improve its environmental performance. Beauflor's Belgian and Slovenian plants are ISO 14001 certified.



ISO 9001

The most widely used standard for quality control worldwide. The goal of the quality management system is to keep the organization focused on continuous improvement in order to increase customer satisfaction. Beauflor's Belgian and Slovenian plants are ISO 9001 certified.



ISO 45001

ISO 45001 sets guidelines for establishing and improving a management system for workplace health and safety. The standard focuses on the continuous improvement of safety and health performance, meeting legal and other requirements and achieving safety and health objectives. Beauflor's Belgian and Slovenian plants are ISO 45001 certified.



ERFMI

ERFMI (European Resilient Flooring Manufacturer Institute) has prepared EU wide Life Cycle Assessments for flooring types, resulting in Environment Product Declarations (EPD). Beauflor is an active member of ERFMI.



VinylPlus®

VinylPlus® is the voluntary commitment to sustainable development of the European PVC industry, working to improve the sustainability performance of PVC. PVC can be recycled multiple times, and VinylPlus® works to do just this! Beauflor is an active member of Vinylplus®.

INSTALLATION INSTRUCTIONS

GLUED DOWN CUSHION VINYL

BEFORE THE INSTALLATION

Before installation, always check if the product is the one you ordered in terms of specifications, design and colour. At the same time carefully inspect the rolls for any visible damages and defects as well as batch purity.


RECOMMENDED TOOLS




Cutter knife with trapezoid blade and hook blade




Long metal ruler or straight edge



Tape measure



Adhesive trowel: type A2



Press-on tool

INSTALLATION CONDITIONS

Storage of the rolls	≤ 2m upright and fastened / ≥ 2m horizontally and not stacked
Preparing the rolls	Cut and flatten the rolls 24 hours before installation.
Acclimatisation of the rolls	24 hours before installation at a minimum of 18 °C
Room temperature	18 – 30°C during installation and 24 h before

SUBFLOOR PREPARATION AND CONDITION

The subfloor must be solid, lead-bearing absolutely flat, dry, free of cracks, clean and free from grit, dust, grease, oil, polish & old adhesive. Evenness and moisture must comply with national rules and requirement.

Type of subfloor	Preparation
Screed	Sand, prime and level
Parquet / Carpets	Must be removed, afterwards sand, prime and level the base
Tiles	Clean, prime and apply levelling compound
Asbestos sheets	Must be removed, exclusively by companies certified for asbestos removal




Please note: the underfloor heating and cooling system must be switched off 48 hours before installation and restarted gradually 48 hours afterward.

INSTALLATION

IMPORTANT NOTES

- Take care to always have rolls of the same batch in one room.
- When you do a multiple piece installation, make sure the seams between rolls are positioned away from areas of heavy traffic.
- For cold welding make sure that the pieces overlap each other to make a double cut.
- If you want to glue the vinyl floor to the subfloor, please use suitable dispersion glue.
- Beauflor CV floorings can be installed using the ‘semi loose lay’ method by meaning loose lay with perimeter adhesion. Only for compact products such as Xtreme etc. it is not recommended.

LAYING DIRECTION



For plank and tiles designs, sheets should be installed in the **same direction**.



For most allover designs, sheets should be installed in **opposite directions**.



Check design specifications before you start.

ADHERING VINYL FLOOR TO SUBFLOOR



Turn back the first piece of flooring to expose about half of the subfloor.



Apply the adhesive to the subfloor in accordance with the adhesive manufacturer's instructions.



Allow the recommended drying time and then reposition the flooring material over the prepared subfloor.



Roll out with smoothing press.



Do the same (step 1 – 4) with the other pieces of flooring, take care to not overlap the glue.



With the material now lying flat around the fittings and corners, the final cutting along the wall lengths can be carried out.

CORNER CUTTING INSTALLATION




Fold the flooring twice on itself, looking for the inside corner.




Place the hook blade point in the corner and cut until outside.



Remove this part.



Once completed open up to see perfect corner shape cut.



Trim edges along the wall lengths.

AFTER INSTALLATION



First 24h:
Keep traffic to a minimum.



First 72h:
Do not move heavy objects back into place.

CLICK OR SCAN FOR THE FULL INSTALLATION GUIDE





Beauflor has the perfect flooring for every domestic and public space. Explore our extensive range of designs and features – there's a solution for every need. Discover the full range at:

www.beauflor.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. Beauflor reserves the right to modify its range without notice.

FRONT COVER: HAZE - TWILIGHT



GREENOCK 239L - QUINTEX

READY TO GO VINYL?

B.I.G. Floorcoverings nv

Rijksweg 442

8710 Wielsbeke - Belgium

T +32 (0)56 67 66 11

info@beauflor.com

customerservice.beauflor@bintg.com

www.beauflor.com



Beaulieu
International
Group

